



型番	型番: 0000000000
外形寸法	250mm×27mm×48mm(mm)
重量	180mm×38mm×11mm(mm)
重量	280KG(600mm)
電源電圧	0000000000NO/NC/COM
電源電圧	DC12/24V
電源電流	12V/500mA 24V/250mA
動作電圧	0000000000: 0000000000
動作電圧	0000000000: 00
動作電圧	0000000000000000: 00
動作電圧	CE ROHS CMA
動作電圧	0000000000
動作電圧	000000000000000000000000
動作電圧	002kg

Details

SECURITY

ANTI-RESIDUAL MAGNETISM DESIGNED



Can't fix the screw when the door close.

FEEDBACK

SIGNAL DETECTION FEEDBACK FUNCTION



VOLTAGE

DUAL VOLTAGE 12 OR 24 VDC TO SELECTABLE



TIME DELAY

WITH AJUSTABLE TIMER:0-15s



Turn right to adding delay time, turn left to reducing delay time

WATERPROOF

IP68 WATERPROOF, EPOXY SEALED DESIGNED FOR OUTDOOR USE



2 Wires PCB



5 Wires PCB with feedback function



12V/24V 5 Wires PCB with feedback function



6 Wires PCB with timer



7 Wires PCB with timer and feedback



9 Wires PCB with timer and feedback



Waterproof lock PCB

Parameter



Name	280KG Electromagnetic lock
Voltage	12VDC or 12/24VDC(optional)
Current	380mA
Holding Force	280KG or 600LB
Indicate	LED
Material	Anodized aluminum
Waterproof	IP68(optional)
Feedback	Door Status Output, NO/NC/COM(optional)
Time delay	0-155(optional)
Lock Size(mm)	250 LX 27 H X 48 D
Armature Size	180 LX 38 H X 11 D
Application	Wooden doors, fireproof doors, glass door etc
Weight	2KG



Remark: Please don't fix the screw of armature plate tightly. Let the rubber ring maintain proper elasticity.


Size

Specification(Unit:mm)




	ES180A	ES230A	ES280A	ES380A	ES180G	ES230G	ES280G	ES300G	ES380G	ES500G
L	190	258	252	265	170	250	240	240	250	266
L1	/	238	232	244	42	70	70	70	/	/
L2	/	202	197	209	126	210	200	200	220	/
B	32	42	50	56	20.5	25.4	27.5	27.5	36	42
B1	/	25	35	35	9	12.5	15	15	20	18
H	21	27	29	35	34	42	50.5	50.5	56	67
H1	/	5	4	5	5	5	6	6	6	6

Iron plate size (unit: mm)




ITEM	L	L1	B	H
ES180	130	120	33	11
ES230	180	165	38	11
ES280	158	134	43	11
ES300	158	134	43	11
ES380	168	134	48	11.5
ES500	185	165	61	16


2 Lock Diagram




Installation




Bracket Installation



3 Wiring Diagram



PCB Diagram







280
kg



姓名: 1 性别: 1 年龄: 12 岁
 身高: 54.3*13.5*19.3cm 体重: 25kg 50 厘米

20⁺ YEARS EXPERIENCE OEM & ODM

ACCESS CONTROL SYSTEMS ONE STOP SOLUTION PROVIDER

Goldbridge is Top 10 China Manufacture On Alibaba, Specializes In Provide Kinds Of RFID/NFC Cards, FID Tags, RFID Card Reader, UHF Reader, Access Control System, Electromagnetic Locks, etc Since 1999



Customized Services



Quality Assurance



Fast Delivery



Best After-Sales Service

ADVANTAGE



WHY CHOOSE US?

- 1 FAST DELIVERY** Faster delivery by air by express. (DHL, UPS or Fedex)
- 2 LONG HISTORY** 20 years experience in RFID & Access Control industry
- 3 OEM ACCEPTABLE** 20 years OEM&ODM experience for 1000 + VIP client from US and Europe
- 4 HIGH QUALITY** Design and manufacture high quality products with 30 R&D engineers.



OUR FACTORY



Access Control and RFID Reader Production Line:

- Monthly production quantity is up to 50,000pcs, We are Provides OEM&ODM services including product research and development, LOGO printing, customized etc



Door Lock Production Line

Electromagnetic lock & Smart Door Lock Production Line :

- Monthly production quantity is up to 100,000pcs,
- Our factory is built with modern manufacture environment, facilities, equipment and professional operation technicians.
- Goldbridge Provides OEM&ODM services including product research and development, LOGO printing and product box customized.



RFID Cards & Tags Production Line

RFID & NFC Cards & Tags Production Line :

- RFID Tag, Wristband, Keyfob: 11,000,000pcs (monthly output)
- Four Production Lines For Smart Card, PVC Card, Prelam Sheet: 20,000,000pcs (monthly output)
- Goldbridge Provides OEM&ODM services for LOGO printing, development, customized.

APPLICATION

Bus, supermarket, school, government, hospital, factory



CERTIFICATE



