


- 0000000000 GSM 00000000000
- 00 000000 ID 000000000000000000



GSM 🔲	□□□□□□ 850/900/1800/1900MHz
	NC/NO DDDDD3A/240VAC
	DC9[]24V/2A
	12V Max.50mA/25mA
SIM	3V SIM
	50Ω ACM
	3m/9.84□□□□
	-20∏60°C
	<u> </u>
	82×76×27mm/3.23×2.99×1.06



- 1. Signal light
- 2. Relay light
- 3. Power port
- 4. Normal open
- 5. Com
- 6. Normal close









GSM Remote Control Gate Opener









SHENZHEN GOLDBRIDGE INDUSTRIAL CO.,LTD

Door Loop / Closer/ Holder & Power Supply- Distributor Wholesale



RE:Access Control Power Supply



ACM-Y802-3A Power Supply and door release exit button Dual Function AC110V-240VDC, 12V 3A



M801B-3A /5A Access Control Door Power Supply Size: 190Lx85Wx80H(mm) AC110V-240VDC



M806B-3A /5A Access Control Door Backup battery Power Supply Size: 190Lx85Wx80H(mm) AC110V-240VDC





ACM-Y806-3A Voltage: DC 12V /3A AC110V-240VDC



ACM-Y801-3A Voltage: DC 12V /3A AC110V-240VDC





ACM-5A

12V 5A door control system 12V 5amp access power supply with battery backup (Special For access control board use)

Size: 279x234x67MM Input Voltage:110-240V Voltage: DC 12V /3A

RE:Door Loop / Door Closer











ACM-M59 25-45KG ACM-M60 45-65KG ACM-M61 65-85KG

RE:Sensor and Siren For Access Control System



Item: AS603 Piezo Strobe Siren Operating voltage: 12VDC



Item: AS31 Operating distance: 16mm ±5mm Switch output: NC



Item: AS32 Operating distance: 18mm ±5mm Switch output: NC



Item: AS36 Operating distance: 40mm ±10mm Switch output: NC



Item: AS57AC Operating distance: 18mm ±5mm Switch output: NC Applies to steel door



Item: ACM-MD601 Standard Wall Mount Door Holder Holding force: 60kg(120Lbs)





Item: ACM-MD602 Glass door Mount Door Holder with door signal Holding force: 60kg(120Lbs)

RE:Remote Control For Access Control System



Item: ACM-K19
Metal WIRELESS Remote Control



Item: ACM-K18
WIRELESS Remote Control



Item: ACM-K20
WIRELESS Remote Control For
Automatical Door,NO/NC/COM



Item: ACM-K19A
Metal Access Control WIRELESS
Remote Control 2 channel



Item: ACM-K19B Metal Access Control WIRELESS Remote Control 4 channel

 $What sapp: +86-14554918707 \ , E-mail: lily jiang_06@163.com, sales@goldbridgesz.com \ ; \ www.goldbridgesz.com \ ; \ www.goldb$

For More Proudcts Price List and informations, Please contact our sales at sales@goldbridgesz.com, thank you!









86*86mm



@ @ @ @ @ @ @ @ @ @ @ @ @ WAB:

86*86mm

_______ K14B_86×86mm

______;
K815B_86×86mm

10000000240000000000

3

5000000

1)

6000000:0000001~50000007~300

Q: **1**. ________

Q: 2.0000000000000000?

 $A: \ T/T {\color{red}\square} Paypal {\color{red}\square} {\color{red}\square}} {\color{red}\square} {\color{red}$

Q:4.

Q:5.

Q:6.



OUR FACTORY



- Access Control and RFID Reader Production Line:
- Monthly production quantity is up to 50,000pcs , We are Provides OEM&ODM services including product research and development, LOGO printing, customized.etc



- Electromagnetic lock & Smart Door Lock Production Line:
- Monthly production quantity is up to 100,000pcs.
- Our factory is built with modern manufacture environment, facilities, equipment and professional operation technicians
- · Goldbridge Provides OEM&ODM services including product research and development, LOGO printing and product box customized.



- RFID & NFC Cards & Tags Production Line:
- RFID Tag, Wristband, Keyfob: 11,000,000pcs (monthly output)
- Four Production Lines For Smart Card, PVC Card, Prelam Sheet: 20,000,000pcs (monthly output)
- Goldbridge Provides OEM&ODM services for LOGO printing, development.

ADVANTAGE

APPLICATION







- OEM ACCEPTABLE 20 years OEM&ODM experience for 1000 + VIP client from US and Europe
- HIGH QUALITY Design and manufacture high quality produtes with 30 R&D; engineers.

Bus, supermarket, school, government, hospital, factory



CERTIFICATE





























