



SDKuhfrfid

-1ISO18000-6B/EPC

-2ISO-18000B/EPC

-35M

-4SDK

ACM812A
ISM92028MHz

[illegible]



1
I
S
O
1
8
-
6
B
E
P
C
/

2
I
S
O
-
1
8
B
E
P
C
/

3
5
M
2
·
5
M

[illegible]

□□□□□

1.
2. ID

5. PC SDK

□ □ □ □



WIRING DIAGRAM

PWR +12V	GND	232 TXD	232 RXD	GND	WG1 D0	WG1 D1	WG2 D0	WG2 D1	TRIG T+	TRIG T-
RED	BLACK	WHITE	PURPLE	BLACK	YELLOW	GREEN	ORANGE	BROWN	BLUE	BLACK

PWR +12V	GND	232 TXD	232 RXD	GND	WG1 D0	WG1 D1	WG2 D0	WG2 D1	TRIG T+	TRIG T-
RED	BLACK	WHITE	PURPLE	BLACK	YELLOW	GREEN	ORANGE	BROWN	BLUE	BLACK



RFIDUHF□□□□□□□□□□□□□□



RFIDUH

- RFIDUHACMGoldbridgeRFIDUH2RFIDUH
- RFIDUHACM GoldbridgeRFIDUH
- RFIDUH

RFIDUH

RFIDUHRFIDUH
1RFIDUH

2. 产品特点
3. 主要应用
4. 技术参数
5. 产品优势
6. 成功案例
7. 联系我们
8. 公司简介



Vehicle access control system



Personal ID access control



Hand free applications



Asset management



Application



UHF CARD



产品特点

UHF 产品特点
 UHF 产品采用 1 频段，频率范围 860-880MHz，
 尺寸为 32 * 32 * 6mm，重量 3kg。

5

uhf ACM812A ACM802A ACM818A ACM801A
ACM801A 200





ACM812A

2-5m 26mm UHF RS232 / 485

ACM818A

10-20m 26mm UHF RS232 / 485

ACM802A

8-10m 26mm UHF RS232 / 485





ACM801A
 10~15m UHF
 26~485 RS232 / 485
 ACM 8017
 UHF
 UHF + WIFI + GRPS
 ACM 918K
 UHF4

1. 24
- 2.
3. OEM / ODM

4

5□ □□□ □□□□□

1

2

3□□□□□□□□ 2□3□□□ □□□□□□□□□□□□□□

6 1 5 7 30

70000000000000000000000000000000 T / T0000000000000000

6/6/2019

Q1

A

Q2□□□□□□□□□□

A T / T Paypal

☐ DHL ☐ FedEx ☐ TNT UPS

Q3

A _____

Q4

A 5000 37 100,000 7 15

Q5

A OEM

Q6

RFID / NFC / RFID / RFID RFID1