



500kg

1000 500 kg

2
6
5
I
X
X
W
3
9
H

[illegible]


O N C / C O M / + / -
 2 / 2 4 V D C




1. 本產品為LED燈條，適用於室內照明，如客廳、臥室、書房等。
 2. 產品型號為ACM-Y500，採用高品質LED燈珠，光線柔和，無閃光。
 3. 產品採用鋁合金外殼，散熱性能優異，可確保長時間使用。
 4. 產品支持12v、24v、7v三種電壓，可根據實際需求進行選擇。
 5. 產品安裝簡便，只需將產品插入鋁合金外殼即可，無需焊接。
 6. 產品具有防水功能，可在潮濕環境下使用。
 7. 產品具有調光功能，可通過遙控器進行調節。
 8. 產品具有長壽命，可達50000小時以上。
 9. 產品具有低功耗，可節省能源。
 10. 產品具有環保特性，無汞、無鉛、無磷。

STANDARD INSTALLATION STEPS


Professional guidance, Rest assured



1 Fold the plate to 90° .




2 Close the door first, then place the upper side of template on door frame, while adjust the left side next to the door leaf.




3 Mark screw positions of armature plate and magnetic lock on door leaf and door frame respectively.




4 Drill holes based on the marked positions.




5 Make a combination based on the picture.



6 Strike the pin into the armature plate slightly (to avoid movement).




7 Make a combination based on the picture (add washer accordingly). The rubber ring must be added.




8 Place the rubber ring between armature plate and door leaf.




9 Use Allen key to remove the mounting plate from lock body.




10 Fix the mounting plate on the door frame according to the holes drilled earlier.




11 Use Allen key to screw the lock body on the mounting plate.




12 Close the door to test holding force. The angle between armature plate and magnetic lock can be adjusted by adding or reducing washers.




13 After all the appropriate procedures, the holding force can be maximized. Finally, fix the tamper screw.



Hollow Metal Door
Drill a hole
Inside: Diameter is 8mm
Outside: Diameter is 16mm



Wooden Door
Drill a hole
Inside: Diameter is 8mm
Outside: Diameter is 12.7mm



Metal Surface Door
Inside: Drill a hole
diameter is 8mm folding
the plastic straight pin

Notice:

Thickness of Door Leaf:

350LBS: 44mm

600LBS: 50mm

800LBS: 48mm

1200LBS: 46mm

DHL FEDEX TNT UPS EMS Forwarder by SEA By AIR

Page 10

□□□□□□□□□□□□□□□□1□□□□□□□□□□□□6□□
□□□□□□□□□□35 * 30 * 20cm□□□□□□□□□□24kg□□□□□□□□□□50□□□□

□□□□□□□35 * 30 * 20cm□□□□□24kg□□□□□□□50□□□□



You may need



ACM-Y280N

280kg / 600lbs
|

ACM-Y180

180kg / 300lbs
2

ACM-Y280

280kg / 600lb

□□□□□□□□□□□□



ACM-Y280-L
280 kg / 350kg□□□□□□□□L□□□□□□□□

ACM-Y180ZL
180kg / 300lbs□□□□□□□□ZL□□□□□□

ACM-Y280-ZL
280Kg / 350Kg□□□□□□□□ZL□□□□□□

1. 24 小時服務熱線
2. 提供多種語言服務
3. OEM / ODM 服務
4. 提供多種規格產品
5. 提供多種規格產品
1. 提供多種規格產品
2. 提供多種規格產品
3. 提供多種規格產品 2 3 個月
6. 提供多種規格產品 1 5 個月 7 30 天
7. 提供多種規格產品 T / T Western Union Paypal
8. DHL FEDEX TNT UPS EMS SEA AIR

服務熱線

Q1 服務熱線

A. 提供多種規格產品

Q2 服務熱線

A. 提供多種規格產品 T / T Paypal Western Union
DHL FedEx TNT UPS

Q3 服務熱線

A. 提供多種規格產品

Q4 服務熱線

A. 提供多種規格產品 5000 3 7 100,000 7 15

Q5 服務熱線

A. 提供多種規格產品 OEM

Q6 服務熱線

提供多種規格產品 RFID NFC / RFID / RFID rfid 1