

Part 1.

Elegant Surface Finish

Surface finishing paint or plating, durable and beautiful.



Part 2.

HOOK LATCH & BALL LATCH

Solid brass hook latch or ball latch are optional. It could meet more requirements.



Hook latch with pick-proof and anti-fake lock design.



Part 3.

OPTIONAL CYLINDER HOLE

Round cylinder hole or long cylinder hole to optional. Suitable for more environments.



Double Cylinder Lock

Part 4.

SINGLE OR DOUBLE CYLINDER

Single cylinder or double cylinder are available, high strength material solid brass cylinder and deadbolt.



Single Cylinder lock

Part 5.

FREE LOCK FUNCTION

The button on the lock (fitted on certain models) can be blocked by the key, leaving the door/gate always open.
With building visual intercom, access control system and other ancillary uses.




Right open Left open

Part 6.

REVERSIBLE DEADBOLT

Original brass deadbolt. Real universal for right, left, inward, outward opening. No need to buy separately.



Way to change deadbolt direction





Factory default is inward opening. Push the bar of deadbolt and turn 180 degree to make it for outward opening.





Internal Structure




Electric control locks all kinds installation schematic diagram



Installation Chart




COPPER WIRE SECTION RELATED TO SUPPLY DISTANCE




Installation the anode bracket

Anode bracket can be installed with either one of these method or both depending on the door's condition

Method 1 :





Method 2 :



mm ²	Ømm
0.5	0.8
1	1.2
1.5	1.4
2	1.6

- ← Mt.10
- ← Mt.10 ÷ 40
- ← Mt.40 ÷ 60
- ← Mt.60 ÷ 100







ACM-Y062

□□□□□□□□□□□□□□□□□□□□
□□□□□□□□130×98×41mm

ACM-Y043

□□□□□□□□□□□□□□□□□□□□
□□□□□□□□126×101×39mm

ACM-Y044

□□□□□□□□□□□□□□□□□□□□
□□□□□□□□126×101×39mm



ACM-Y034

□□□□□□□□□□□□□□
□□□□□□□□148×107×35 mm

ACM-Y037

□□□□□□□□□□□□□□
□□□□□□□□125×98×36 mm

ACM-Y048

□□□□□□□□□□□□□□

□□□□□□140×116×55 mm

You may need



ACM-Y100S

□□□□□□□□5PIN□□□□□□□□□□□□□□□□
□

ACM-Y130

□□□□□□□□□□NC / NOOptional□

110x28x31 mm

ACM-Y280

180kg / 350lbs

Questions

- 1. 24
- 2.
- 3. OEM / ODM
- 4. fashin desing &
- 5.
- 1.
- 2.
- 3. 2 - 3
- 6. 1 5 7 30
- 7. T / T
- 8. DHL, FEDERAL EXPRESS, TNT, UPS, EMS

Questions

- Q1.**
- A. E
- Q2.**
- A. T / T
- DHL, Federal Express, TNT, UPS
- Q3.**
- A.
- Q4.**
- A. 5000pcs 3-7 100,000pcs 7-15
- Q5.**
- A. OEM
- Q6.**
- RFID, NFC, RFID keybod / RFID rfid 1