

```
0000000000000000rfid000000000000  
000
```



D
C
1
2
-
2
4
V

V
G
2
6
7
3
4
0
00
00
00
0
0
0
8
00
7
m
m
*
7
8
.
7
m
m
*
1
8
.
6
m
m
00
0
0
00
00
6V
/
3
4
03
00
0
0
E
M
D
00
0
0
0
9
00
0
0
0
0

[illegible]



Welcome To Goldbridge Ltd


ACM-A89 touch metal access controller



RFID card,
password,
RFID card+password,
3000 users, large capacity!



Support fast data data copy





Lightning delivery

Global sales


Package mail

Technical support

After-sale

☐ OEM / ODM ☐

Wiring diagram



Attention when electronically controlled lock must be transferred to 0 seconds delay, to prevent burning of electric lock.

1. 24 2. OEM / ODM 3. 1 4. 1 5. 1 6. 1 7. T / T 8. DHL, FEDEX, TNT, UPS, EMS

1. 24
2. OEM / ODM
3. 1
4. 1
5. 1
6. 1
7. T / T
8. DHL, FEDEX, TNT, UPS, EMS

1. 24 2. OEM / ODM 3. 1 4. 1 5. 1 6. 1 7. T / T 8. DHL, FEDEX, TNT, UPS, EMS

ACM Goldbridge

RFID 1 20 RFID

RFID RFID RFID RFID RFID

