



□□□□13.56MHz□□□□□□□□NFC
RFID□□□□□□□□□□


□□□□□□□□□□□□□□□□□□□□
□□□□□□□□□□RFID□□□□□□
RFID□□□□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□□□□□
□□RFID□□□□□□□□□□□□□□□□
RFID□□□□□□□□□□fastly.Such RFID□□□□
□□□□□□□□□□□□□□□□□□□□
□environment.It□LF□HF□□□□□□□□□□
□POCKET□□□□□□□□□□□□□□□□
UHF antenna.You□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□□□□□



□
□
□
□□
□□
P
□P
A
B
□S
□
□
□
□□
□
□
□□
□
□
□
□□
□
□~~H~~
E
/
U
H
F
□□
□
□□
8
□□
□
□□
□
□
□
□

1
2
3
4
5
6
M
H
z
1
8
6
-
9
6
M
h
z
1
1
S
O
1
4
3
A
I
S
O
1
8
-
6
C
1
C
1
8
°C

3
3
3
M
3
2
8
*
2
8
M
3
M
4
4
8
*
2
8
M
M
3
3
3

33333








Anti-corrosion
Highly visible

Waterproof
Durable





When it needs to be used again, press the switch and pull out the tie belt.



Insert strap into locking chamber

Pull tight around object being sealed




Use manual tear off or cutting tool to remove

SOLID



DURABLE



ACM-EMI-S

125kHz TK4100 RFID

ACM-MF1

13.56MHz MF1K F08 RFID

ACM-INLAY

125kHz 13.56MHz 860-960mhz



ACM-ABS003

125kHz EM TK4100
printing

ACM-WBT-EM

125kHz

ACM-STICKER

RFID 125kHz 13.56MHz
860-960mhz

□□□□□□

1.Any 24
2.OEM / ODM
3.fashin
4.After
A
B
C2~3
6.15 5 7 30
7.T / T
8.Shipping SEA DHL TNT UPS EMS

- ACM Goldbridge 2000

- ACM Goldbridge 2001

- ACM Goldbridge 2002

ACM Goldbridge 2003

A[eamil[

A _____ T / T _____ Paypal _____
 _____ DHL _____ TNT UPS _____

A

A 5000 3-7 100,000 pcs 7-15

OEM

RFID / NFC / RFID keybod / RFID20 RFID