

[illegible]

11

☐

☐

☐

☐

☐

☐

☐

☐

☐

3

m

m

☐

☐

☐

2

5

/

2

6

/

3

/

3

☐

5

2

5

*

☐

2

☐

5

m

m

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

ISO / IEC 44313: 2006 M H Z

[illegible]

Chuangxinjia Chips List

ALL LF, HF, UHF all available. Contact us freely for other RFID NFC chip.

Frequency HF 13.56mhz Protocol ISO/IEC 14443A

MIFARE Classic® 1K	MIFARE Classic® EV1 1K	MIFARE Classic® 4K	
--------------------	------------------------	--------------------	--

MIFARE and MIFARE Classic are registered trademarks of NXP B.V. and are used under license.

MIFARE Plus® S 1K	MIFARE Plus® S 1K SE	MIFARE Plus® S 2K / S 4K	
-------------------	----------------------	--------------------------	--

MIFARE Plus® X 2K / X 4K	MIFARE Plus® EV1 2K / 4K		
--------------------------	--------------------------	--	--

MIFARE and MIFARE Plus are registered trademarks of NXP B.V. and are used under license.

MIFARE® DESFire® EV1 2K	MIFARE® DESFire® EV1 4K	MIFARE® DESFire® EV1 8K	MIFARE® DESFire® Light
-------------------------	-------------------------	-------------------------	------------------------

MIFARE® DESFire® EV2 2K	MIFARE® DESFire® EV2 4K	MIFARE® DESFire® EV2 8K	
-------------------------	-------------------------	-------------------------	--

MIFARE® DESFire® EV3 2K	MIFARE® DESFire® EV3 4K	MIFARE® DESFire® EV3 8K	
-------------------------	-------------------------	-------------------------	--

MIFARE DESFire are registered trademarks of NXP B.V. and are used under license.

NTAG® 213 (144 bytes)	NTAG® 215 (504 bytes)	NTAG® 216(888 bytes)	
-----------------------	-----------------------	----------------------	--

NTAG® 424 DNA	NTAG® 413 DNA	NTAG® 424 DNA TT	
---------------	---------------	------------------	--

NTAG® are registered trademarks of NXP B.V. and are used under license.

MIFARE Ultralight® C(148 bytes)	MIFARE Ultralight® EV1 (48 bytes/128 bytes)		
---------------------------------	---	--	--

MIFARE Ultralight® AES(144 bytes)			
-----------------------------------	--	--	--

MIFARE and MIFARE Ultralight are registered trademarks of NXP B.V. and are used under license.

Frequency HF 13.56mhz Protocol ISO/IEC 15693 and IOS/IEC 18000-3

ICODE® SLI	ICODE® SLIX	ICODE® SLIX-S	ICODE® SLIX-L
------------	-------------	---------------	---------------

ICODE® SLIX 2	ICODE® ILT	ICODE® ILT-M	ICODE® DNA
---------------	------------	--------------	------------

ICODE® are registered trademarks of NXP B.V. and are used under license.

Frequency UHF 860-960Khz Protocol ISO18000-6C/Class 1 Gen 2

UCODE® 8	UCODE® 9	UCODE® DNA	UCODE® G2iM
----------	----------	------------	-------------

UCODE® are registered trademarks of NXP B.V. and are used under license.

Frequency LF 100-150Khz Protocol ISO11784/85 ,ISO 14223

HITAG® S 256	HITAG® S 2048	HITAG® μ	
--------------	---------------	----------	--

HITAG® RO64	HITAG® 1	HITAG® 2	
-------------	----------	----------	--

HITAG® are registered trademarks of NXP B.V. and are used under license.





1pcs per poly bag

50pcs per white box

10-20 boxes per carton



Customized Gift Card Holder

Customized Envelope Type Card Holder



RFID NFC 100000 100000000000



RFID 30MM

RFID 30MM

RFID NFC

RFID/NFC/QR (UHF)

-
-
-
-
-
-

NFC (近距離無線通信) 規格2 準 NFC 対応機器との通信に利用可能な NFC 対応機器
 対応機器 NFC 対応機器との通信に利用可能な NFC 対応機器

The diagram illustrates the layered structure of an NFC tag. From top to bottom, the layers are:


- Surface Material:** The topmost white layer with the "NFC" logo.
- Etched Aluminum:** A thin, spiral-shaped conductive layer.
- Pet:** A thin, translucent yellow layer.
- Glue Layer:** A thicker, translucent yellow layer.
- Release Paper:** The bottom-most grey layer.

Two finished NFC tags are shown at the bottom right, demonstrating the final product.

Miro 無線LAN NFC 無線LAN NFC 無線LAN
E無線LAN NFC無線LAN NFC 無線LAN; NFC Wifi NFC Bluetooth無線LAN

APPLICATION





ACM-EMI-S

125Khz TK4100 卡片 rfid 卡片

ACMM-MF1

13.56mhz MF1K 卡片 F08 RFID 卡片

ACM-卡片

125khz 13.56mhz 860-960mhz 卡片



**ACM-S001-UHF**

ACM-UHF-P □□□□□□□□□□

ACM-NFC-□□□□□

--	--	--	--	--

□
□
□ □



Shipment



Our Service

1. 24-hour service
2. OEM/ODM service
3. 1-5 years warranty
4. T/T, L/C, D/P, D/A, A/C, A/P, A/S, A/B, A/C, A/P, A/S, A/B
5. 1-5 years warranty
6. 1-5 years warranty
7. 1-5 years warranty
8. DHL, FEDEX, TNT, UPS, EMS, SEA, AIR

ACM Goldbridge

ACM Goldbridge 2

RFID 2015 年 10 月 1 日 起 實 施

RFID 2015 年 10 月 1 日 起 實 施

Q: 1. RFID 2015 年 10 月 1 日 起 實 施

A: RFID 2015 年 10 月 1 日 起 實 施

Q: 2. RFID 2015 年 10 月 1 日 起 實 施

A: RFID 2015 年 10 月 1 日 起 實 施

RFID 2015 年 10 月 1 日 起 實 施

Q: 3. RFID 2015 年 10 月 1 日 起 實 施

A: RFID 2015 年 10 月 1 日 起 實 施

Q: 4. RFID 2015 年 10 月 1 日 起 實 施

A: RFID 2015 年 10 月 1 日 起 實 施

Q: 5. RFID 2015 年 10 月 1 日 起 實 施

A: RFID 2015 年 10 月 1 日 起 實 施

Q: 6. RFID 2015 年 10 月 1 日 起 實 施

RFID 2015 年 10 月 1 日 起 實 施