

L
:
1
7
x
4
x
2
9
(
m
m
)
Z
:
1
3
x
3
8
x
3
8
(
m
m
)
(
1
8
Z
L
)
L
:
2
5
x
4
7
x
2
8
(
m
m
)
Z
:
1
8
x
5
x
5
(
m
m
)
(
2
8
Z
L
)
L
:
2
8
5
x
5
4
x
3
1
(
m
m
)
Z
:
9
9
x
5
7
x
5
(
m
m
)
(
3
5
Z
L
)
L
:
2
6
5
x
7
x
4
5
(
m
m
)
Z
:
1
8
5
x
7
x
6
1
(
m
m
)
(
5
Z
L
)
L
:
2
8
x
8
x
5
1
(
m
m
)
Z
:
1
9
x
7
x
6
1
(
m
m
)
(
7
5
Z
L
)
)

4 kg / .75 kg / .82 kg / 1.3 kg / 1.6 kg C E M A

55555

Z&L 180KG/280kg


□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

[illegible]

□ □ □ □ □ □ □ □ □ □ □ □ □ □

1111111111111111










- 此系列门框及门扇均采用优质冷轧钢板ACM Goldbridge 厚度为2 毫米
- 此系列ACM Goldbridge 门框及门扇均采用优质冷轧钢板
- 此系列门框及门扇均采用优质冷轧钢板



Installation diagram



Two "L" short bracket spell "Z" bracket

Installation real effect figure



☐ DHL ☐ FEDEX ☐ TNT ☐ UPS ☐ EMS ☐ SEA ☐ AIR

☐

11

□□□□ ZL □□□□□□□□: 1 □□□□ 1 □□□□□□□□□□□□ 30 □□

□□□□□□: 35*30*16cm□□□□:□□□□□□8kg□□□□



You may need



ACM-Y280N

280kg (600lbs) 280kg (600lbs) 280kg (600lbs):
 280kg (600lbs) 280kg (600lbs) 280kg (600lbs)

ACM-Y180

180kg (300lbs) 180kg (300lbs) 2 180kg (300lbs)
 180kg (300lbs): 180kg (300lbs) 180kg (300lbs)

ACM-Y280

280kg (600lbs) 280kg (600lbs) 280kg (600lbs):
 280kg (600lbs) 280kg (600lbs) 280kg (600lbs)



ACM-Y280-L

280kg/350kg 24 1000mm L 1000mm

ACM-Y180ZL

180kg/300lbs 24 1000mm ZL 1000mm

ACM-Y280-ZL

280Kg/350Kg 24 1000mm ZL 1000mm

1000mm

1 1000mm 24 1000mm

2 1000mm 24 1000mm

8: DHL FEDEX TNT UPS EMS SEA AIR

RFID/NFC/RFID/RFID/RFID1