

RFID RFID

[illegible][illegible]

0
0
0
0
1
0
0
0
W
G
2
6
0
0
0
0
4
. 6
4 *
2
0
0
7
8
0
0
0
1
2
V
D
C
Y
2
A

Category	Value
1	0
2	0
3	0
4	0
5	0
6	0
7	0
8	0
9	0
10	0
11	0
12	0
13	0
14	0
15	0
16	0
17	0
18	0
19	0
20	0
21	0
22	0
23	0
24	0
25	0
26	0
27	0
28	0
29	0
30	0
31	0
32	0
33	0
34	0
35	0
36	0
37	0
38	0
39	0
40	0
41	0
42	0
43	0
44	0
45	0
46	0
47	0
48	0
49	0
50	0
51	0
52	0
53	0
54	0
55	0
56	0
57	0
58	0
59	0
60	0
61	0
62	0
63	0
64	0
65	0
66	0
67	0
68	0
69	0
70	0
71	0
72	0
73	0
74	0
75	0
76	0
77	0
78	0
79	0
80	0
81	0
82	0
83	0
84	0
85	0
86	0
87	0
88	0
89	0
90	0
91	0
92	0
93	0
94	0
95	0
96	0
97	0
98	0
99	0
100	0

[illegible]

11

1.completely

2.Wiegand 26

3.

0.14.Reader

5.2000

6.high-quality

7.

ACM208BRfid LED2000



Metal keyboard with backlight.

Metal keyboard with backlight.



LED status indicators

LED status indicators



Wiegand 26



ACM223

RFID 125KHz
EM 1000/4000 USer

ACM209-NW

RFID AccessControl
125Khz EM

ACM208

RFID





ACM210

RFID

ACM225

RFID 125Khz EM
wiegand connect

ACM211B

RFID
wiegand connect

RFID

- 1 24
- 2
- 3 OEM / ODM
- 4 fashin desing &
- 5
- 1
- 2

80000 0000000DHLFEDERAL EXPRESSTNTUPSEMS00000000000000000000000000000000

20RFID/ NFC/ RFIDkeybod / RFIDrfid1