




1.

□ □





[illegible]

I
S
O
1
1
7
8
4
/
1
1
7
8
□ 5
I
S
O
1
4
4
4
4
□ 3
I
S
O
1
5
6
9
□ 3
I
S
O
1
8
□
□
3
1
*
4
6
8
m
□ m
□
□
□
□
□
□
A
4
2
1
x
2
9
7
m
m
□
□

2
*
□ 5
4
*
□ 5
5
*
□ 5
4
*
□ 6
4
*
□ 7
4
*
□ 8
4
*
□ 1
□ 6
3
*
□ 7
3
*
□ 8
6
*
□ 7
6
*
□ 8
6
*
1
4
16



H
□ F
□
~~m~~ □
. 5
m
□ m
□
~~m~~ □
L
□ F
□
~~m~~ □
□
~~m~~ □
U
H
□ F
. 6
m
□ m
. 5
m
m

LFALHFAUHFAL-25°C





2×5□□□□□□

5×5□□□□□□



3×7□□□□□□

4×4□□□□□
□□□□□□



3×8□□□□□□

3×7□□□□□□
□□□□□□

THE PACKAGING PROCESS






Windinig prelam Inlay



Carton packaging



Carton packaging



ACM-INLAY-EM-TK4100



125kHz TK4100

ACM-INLAY-MF 1K-F08

13.56 mhz F08

ACM-INLAY-MF 1K-S50

MF 1k S50



ACM□□□□

□□□□□MF 4K S70□□□□□□□□□□□□□□□□

ACM-INLAY-T5577

□□□□□T5577□□□□□□□□□□□□

ACM-INLAY-UHF-6C

□□□□□□UHF□□□□□□□□□□□□

10002400000000

2 ourfactory

3 OEM / ODM

4 fashion desing & marketing

5□□□□□□□□□□

1

2

3 3 2-3

6□□□□□□ □□□□□□□□**1****5**□□□□□□□□**7****30**

70000 T / T

[illegible]

shippingforwarder

□ □ □ □ □

ACMGoldbridge 2

ACM Goldbridge

[illegible]

A diagram showing a 6x6 grid. The top row is shaded gray. The rightmost column is shaded gray. The intersection of the top row and rightmost column is also shaded gray.

Q1.

A

Q2. 如何選擇合適的數據類型？

A / **T**

☐☐☐☐☐☐☐☐ DHL ☒ Federal Express ☐ TNT UPS ☐☐☐☐☐☐

Q3.

A

Q4

A  **5000pcs**  **3-7**  **100,000pcs**  **7-15**

Q5

[illegible]

Q6. 下列何者為「非」非預期性通貨膨脹？

RFID / NFCtags / RFID keybod / RFID 1