



□ □ □ □ □ □ □ □ □ □

WBK-400-1-12 50m

	6	2	L	x	4	3	□	5	W	x	3	H	□	1	2	V	D	C	□	□	□	□	□	□	8	m	A	□	□	□	W	B	K	□	4	A	□	□
--	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

N **C** **C** **O** **M** **4** **3** **3** **9** **2** **M** **H** **Z** **≤** **5** **m**

Verification Code Using Achieves Anti-Counterfeiting
REMOTE CONTROLLER FOR ACCESS CONTROL
Concentration, Profession, High quality



WBK-400-1-12 is the remote control dedicate to Access Control .with metal transmitter for access control .
The Transmitting Distance is $\leq 50\text{m}$ (in the open area).

01


EFFICIENT CONNECTION

Remote Transmission, Signal reaches
in 50m(Barrier Free Area)



CHIPS WITH STABLE PERFORMANCE

Confidentiality, Stable Performance,
Low Consumption etc.



03

EASY OPENING

No Need To Take Your Keys, Your Phone
Can Achieve Unlocking Your Door



HIGH QUALITY,HIGHLIGHT OUR STRENGTHS



Sandblasted&Pressure casting

Advanced Manufacturing
Process&Wearproof Material

Metal Transmitter


Exquisite&Fashionable



Easy Operation

Self-Learning Function,
Verification Codes Achieve
Anti-Counterfeiting Function

Wiring Diagram



□□□□

2000 RFID 1

□□□□5□□□□





Realese

K2B 86 * 86mm

Realese

K9A 115 * 40mm

NO /

NC K5B 86 * 86mm





1. 86mm * 86mm
 2. NO K4B 86 * 86mm
 3. HiHg Kirsite K14B 86 * 86mm
 4. K815B 86 * 86mm

1. 86mm * 86mm

1. 86mm * 86mm
2. 86mm * 86mm
3. OEM / ODM
4. 86mm * 86mm

5□□□□□□□□

1□□□□□□□□□□□□□□□□□□□□□□□□□□□□

2□□□□□□□□□□□□□□□□

3×10^{27}

600000 000000000015000000007300

700000 000000000000000000000000T / T000000000000Paypal

8 DHL FEDEX TNT UPS EMS SEA AIR

--	--	--	--	--	--

Q1

A

Q2□□□□□□□□□□

A T / T Paypal

□□□□□□□□□□□□□□□□ DHL □ FedEx □ TNT UPS □□□□□□□□□□

Q3

A□□□□□□□□□□□□□□□□□□□□

Q4

A 5000 37 100,000 7 15

Q5

A _____ OEM _____

Q6

RFID/ NFC/ RFID/ RFIDRFID1