



1.completely
2.Wiegand 26
33
0.1 4.Reader
5.0000000000000000000000000000000000000
7.00000000000

Product function

Touch panel, doorbell button

Metal case with blue backlight

WG26/34 input/output

Support Card, Pin, Card + PIN

Full programming from the keypad

Humanized tamper alarm function

Can set up a management card

Active and passive lock signal output

Imported double point relay output signal

Contactless for RFID transponder technology

Connection for external release button (Exit button)

Memory capacity: 8000 user cards and 1 passwords

Does not need to connect on computer, it can works alone

The same series of access control support data copy and backup

Can be used when the password read head and one machine





Wiegand 26











ACM-Y100S

ACM-Y280

ACM-K2A / B







ACM-Y806-3A

ACM26X

ACM-EMI-S

125KHz EM____



1.00000240000000000000000000000000000000
3.OEM / ODM 4fashin desingamp;
C
7Paypal_
8.ShippingDHL_FEDERAL EXPRESS_TNT_UPS_EMS_SEAAIR
ACM Goldbridge
Qn2.nnnnnnnnnnn
DDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDD
Q03.00000000000000000000000000000000000
Q0400000000000000000000000000000000000
Q0500000000000000000000000000000000000
Q06.00000000000000000000000000000000000