




□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

Lock.It

☐ ☐ ☐ ☐ ☐ ☐ 1 4 8 ☒ 1 ☐ 7 ☐ ☒ 3 ☐ 5 m m 3 A ☐ ☐



[illegible]





产品特点

- 采用高品质黄铜材质，耐腐蚀，使用寿命长
- 采用ACM Goldbridge专利技术，安全可靠
- 采用高品质黄色油代替白油，确保锁在40度以下正常工作

技术参数

Electric control locks all kinds installation schematic diagram



1111

00000000000000000000DHL00FEDERAL EXPRESS00TNT00UPS00EMS00000000000000000000
 00000000000000000000000000000000

11

□□□□□□□□1□□□□1□□□□□□□□□10□□

□□□□□□□26 * 26 * 10 cm□□□□46 kg□□□□□□50□□□□





ACM-Y090

□□□□□□□□□□□□□□□□□□□□
□□□□□□□□125×98×36mm

ACM-Y091

□□□□□□□□□□□□□□□□□□□□
□□□□□□□□125×98×36mm

ACM-Y066

□□□□□□□□□□□□□□□□□□□□
□□□□□□□□130×98×41mm



ACM-Y062

□□□□□□□□□□□□□□□□□□□□
 □□□□□□□130×98×41mm

ACM-Y043

□□□□□□□□□□□□□□□□□□□□
 □□□□□□□126×101×39mm

ACM-Y044

□□□□□□□□□□□□□□□□□□□□
 □□□□□□□126×101×39mm



ACM-Y034

□□□□□□□□□□□□□□
 □□□□□□148×107×35 mm

ACM-Y037

□□□□□□□□□□□□□□
 □□□□□□125×98×36 mm

ACM-Y048

□□□□□□□□□□□□□□

□□□□□□140×116×55 mm

You may need



ACM-Y100S

□□□□□□□5PIN□□□□□□□□□□□□□□□□
□

ACM-Y130

□□□□□□□□□NC / NOOptional□

110×28×31 mm

ACM-Y280

180kg / 350lbs

1. 110×28×31 mm

1. 110×28×31 mm
2. 180kg / 350lbs
3. OEM / ODM
4. fashin desing & logo
5. 110×28×31 mm
1. 110×28×31 mm
2. 180kg / 350lbs
3. 2 - 3
6. 15
7. T / T
8. DHL, FEDERAL EXPRESS, TNT, UPS, EMS

2. 110×28×31 mm

Q1. 110×28×31 mm
A: E

Q2. 110×28×31 mm
A: T / T
DHL, Federal Express, TNT, UPS

Q3. 110×28×31 mm
A:

Q4. 110×28×31 mm
A: 5000pcs, 3-7, 100,000pcs, 7-15

Q5. 110×28×31 mm
A: OEM

Q6. 110×28×31 mm
20, RFID, NFC, RFID, keybod / RFID, rfid, 1