


[illegible]

W
e
c
o
n
f
i
d
e
n
t
i
f
y
i
n
g
t
h
e
c
o
n
t
e
n
t
s
o
f
t
h
e
c
o
n
f
i
d
e
n
t
i
f
i
c
a
t
i
o
n
s
o
f
t
h
e
c
o
n
f
i
d
e
n
t
i
f
i
c
a
t
i
o
n
s



W
e
b
□ □
□ □
□
□
□
□
□
□
□
□ □
□
I
D
□ □
□ □
M
E
□ □
□
1
2
V
□
D
□ C
3
A
°
□ C
A
□
□
C
□
□ □
□
□
6
2
·
5
×
1
8
□ □
□ □
×
4
2
·
5
m
m

問

1. 図1

図1 NO・NC接点

図2

4. 図3 Wiegand 26

5. 図4 + 図5

6. 図6

答

ACM223





Card sensor

Cipher key

Door bell button

RFID AccessControl 125KHz EM1000 / 4000 USer

Scope of Application



Company



Hospital



Hotels



Logistics



Port



Financial



Government



Factory



Aviation



School

[illegible]



ACM223

RFID 125KHz
EM 1000/4000 USer

ACM209-NW

RFID AccessControl
125Khz EM

ACM208

RFID





ACM210

RFID

ACM225

RFID 125Khz EM
connect

ACM211B

RFID
wiegand connect

RFID

- 1 24
- 2
- 3 OEM / ODM
- 4 fashin desing &
- 5
- 1
- 2
- 3 2 - 3
- 6 1 5 7 30
- 7 T / T
- 8 DHL FEDERAL EXPRESS TNT UPS EMS

RFID

Q1.

A

