

 11

[illegible]

> IP68

>

> 2000PINPIN+ PIN

>

>

> [] [] [] [] [] [] [] [] [] [] LDR [] [] []

>

> 00000000 LED 00000000



2

5

☒

h

Z

11

4

□

P

6

85

7

☐	☒
☐	☐

□	□
□	□

1	2
3	4

四一

10

9

ל

19

0

14

3

a

1

D

Q

2

V

 $\pm$

1

□0

[illegible]





Waterproof IP68

Strong Zinc Alloy Electroplated anti-vandal case

Card type: EM
User Capacity: 2000



Wiegand 26: Output & Input

Dimensions(mm)





ACM223

Touch Keypad RFID
125KHz EM 1000/4000

ACM209-NW.

RFID
125kHz EM

ACM208.

RFID





ACM210

RFID

ACM225


Touch Keypad RFID 125kHz
EM Connect Wiegand Reader

ACM211B

RFID
Connect Wiegand Reader

RFID

- 1 24
- 2
- 3 OEM / ODM
- 4 Fashin Desing Reayable
- 5
- 1
- 2
- 3 2~3
- 6 1~5 7~30
- 7 T / T
- 8 DHL FedEx TNT UPS EMS EMS EMS Forwarder



Q1

A[Production ASAP]

Q2□□□□□□□□□□□□□□□□

A T / T PayPal Western Union
DHL FedEx TNT UPS

Q3

A

Q4

[illegible]

Q5

A _____ OEM _____

Q6. □□□□□□

RFID / NFC / RFID Keybod / RFID