



RFIDRFID

ACM2081Wiegand



12VDC+10

0
0
0
0
1
0
0
0
W
G
2
6
0
0
0
0
4
. 6
4 *
2
0
0
7
8
0
0
0
1
2
V
D
C
Y
2
A

[illegible]

[illegible]

11

1.completely

2.Wiegand 26

3.

0.14.Reader

5.2000

6.high-quality

7.

ACM208BRfid LED2000

ACM
ACM208
Metal Standalone
RFID
Door Access Control

Capacity Of Cards
2000 Users

The image shows a silver and black ACM208 Metal Standalone RFID Door Access Control unit. It features a numeric keypad with buttons for digits 1-9, 0, *, and #, along with a small circular button at the bottom. The unit is set against a background of a modern living room with a sofa, a lamp, and a coffee table.

Metal keyboard with backlight.



LED status indicators



Wiegand 26



ACM223

RFID AccessControl 125KHz
EM 1000/4000 USer

ACM209-NW

RFID AccessControl
125Khz EM

ACM208

RFID AccessControl





ACM210

RFID

ACM225

RFID 125Khz EM
wiegand connect

ACM211B

RFID
wiegand connect

RFID

- 1 24
- 2
- 3 OEM / ODM
- 4 fashin desing &
- 5
- 1
- 2

[illegible]

6□□□□ □□□□□□□□□□□□□□□□1□5□□□□□□□□□□7□30□

[illegible]

8000000000DHLFEDERAL EXPRESSTNTUPSEMS00000000000000000000000000000000000000

--	--	--	--	--	--

Q1.

A

Q2. □□□□□□□□□□□□□□

$$A_{\text{eff}} / T_{\text{eff}}$$

□□□□□□□□□□ DHL □ Federal Express □ TNT UPS □□□□□□□□□□□□

Q3.

A

Q4

A 5000pcs 3-7 100,000pcs 7-15

Q5

A _____ OEM _____

Q6.

20RFID/ NFC/ RFIDkeybod / RFIDrfid1