

UHF 4通道超高频RFID读写器



ACM918Z是一款UHF RFID读写器，支持ISO18000-6C、EPC C1G2、ISO18000-6B、902~928MHz、FHSS、30dbm RF、4 TNC、EPC/TID、+9 DC、RS232/RS485/TCP/IP、LED、GPIO接口。

- ISO18000-6C、EPC C1G2、ISO18000-6B
- 902~928MHz
- FHSS
- 30dbm RF
- 4 TNC
- EPC/TID
- +9 DC
- RS232/RS485/TCP/IP
- LED/GPIO

接口

0
0
0
0
V
0
C
HC
0
0
0
5
5
HC
0
0
0
7
5

I 0000000000
T00A=25°C VCC=0000000+ 9V

0
0
0
0
0
C 0
0
0
0
0
0
0
0
0
Q
0
0
0
1
8
6
x
5
0

10000DC00000

0
0
0
0
0
V
V
D
C

G
N
D

2 GPIO DB15

1
1
1
1
1
1
1
1
1
2
2
2
2
3
3
3
4
4
4
4
5
5
6
6
7
7
8
8
8

$\frac{V}{R}$



3 RS232 DB9





2500000000UHF0000
000002600RS232 / 485

10-20m UHF
26 RS232 / 485

8-10m 400000 UHF 400000
400000 260000 RS232 / 485





ACM801A
10-15m UHF
26 RS232 / 485

ACM 8017
UHF
UHF + WIFI + GRPS

ACM 918K
UHF 4

- 1
- 2
- 3 OEM / ODM
- 4 & A
- 5
- 1
- 2
- 3 23
- 6 15 730
- 7 T / T

Q1.
A E

Q2.

A T / T Paypal

DHL Federal Express TNT UPS

Q3.

A

Q4.

A 5000pcs 3-7 100,000pcs 7-15

Q5.

A OEM

Q6.

20 RFID / NFC / RFID keybod / RFID rfid 1