

[illegible]

P
V
C
P
E
T

[illegible]

ISO 1443 AISO 15693 ISO 1443 / 85 ISO 186C / EPC C1


3 1 * 4 6 8 m
 □ m 5 2 * 4 2 m
 □ m 2 1 * 2 9 7 m m
 □ □ - 2 3 3 5
 □ □ °C □ □ °C
 □ □ □ □

- 74*21mm(2500pcs/roll)




- 100*25mm(2500pcs/roll)







RFID Labels Structure



Surface substrate
(PET/coated paper/Paper)

Sticker

InlayAntenna/
Conductive Adhesive/Chip

Sticker

Release Paper

Dry inlay

Wet inlay

Blank label

Printed label



Support antenna design/ size/material/chip/logo customization



Product application



File management




Warehouse management



library books management



Unmanned supermarket management



ACM-EMI-S

125Khz TK4100 1000 rfid 100000

ACMM-MF11

13.56mhz MF1K 100 F08 RFID 1000

ACM-1000

125khz 13.56mhz 860-960mhz 1000000
1000



ACM-S001-UHF

UHF 智能停车一卡通

ACM-UHF-P 智能停车一卡通

860-960Mhz 智能停车一卡通

ACM-NFC-智能停车一卡通

NFC 智能停车一卡通

智能停车一卡通

智能停车一卡通

ACM Goldbridge 2
ACM Goldbridge
ACM Goldbridge
ACM Goldbridge

Q: 1.

A:

Q: 2.

A: T/T

DHL FedEx TNT UPS

Q: 3.

A:

Q:4.

A: 5000 3 7 100,000 7 15

Q:5.

A: OEM

Q:6.

20 RFID /NFC /RFID /RFID 1