



□□□□□□□□□□□□□□□□□□□□□□□□
 □□□□□□□□□□□□□□□□**Rfid**□□□□□□□□□□
 □□□□□□□□□□□□□□□□□□□□□□□□
 □□□□□□□**Rfid**□□□□

ACM-08F□125KHz□□□□□□□□□□ID□□□□□□□□
 □□□□□□□□□□□□□□□□
 □□□□□□□□□□□□□□□□□□□□□□□□
 □□64□□□□□□□□□□uem4100□□ID□□□□EM
 □□□□□□□□□□□□□□□□□□□□□□□□DC□□□□□□□□
 □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
 □□□□□□□□□□□□□□
 □□□□□□□□□□□□□□□□□□□□□□□□

[illegible]



1. 1. 2. 3. 4. 5. 6.

1. 1. 2. 3. 4. 5. 6.

2. ABS 1. 2. 3. 4. 5. 6.

3. ID / IC 1. 2. 3. 4. 5. 6.

4. 1. 2. 3. 4. 5. 6.

5. 1. 2. 3. 4. 5. 6.

6. 1. 2. 3. 4. 5. 6.

Contactless Card Reader

Sensitive Reading, High Stability, Strong Function, Easy Operation
Card Reading Time <200ms, Card Reading Distance <0.5S



Products back
Inner tank black resin glue
Waterproof/Moisture-proof
/dustproof

□□□

□□VCC□+ 12V□

□□

□□□□□□□□D1

□□□□□□□□D0

□□LED

□□□□

□□□□□□□□Wiegand26□□□□□□□□Wiegand34□□

□□□□



□□□□□

□□□□□□□□

□□□□□□1□□□□1□□□□□1□□□□□□□100□□□□

□□□□□□□□□□

□□□□□□□□□□□□3□7□

COFTA F E
EXW FOB FCT CIF CFR ...
OK





ACM26X RFID

125Khz wiegand 26/34
115mm×75.5mm×16.8mm

ACM26G RFID

125 Khz / 13.56 Mhz
26/34 / RS232

KR600E RFID

125KHz / 13.56Mhz ID
26



ACM-EMI-S RFID

EM 125 Khz

86 * 54mm

ACM-MF1 RFID

MF1 1K

ACM-ABS003 RFID

125Khz EM / 13.56Mhz / UHF

-ACMGoldbridge2

-ACM Goldbridge

124

2

3OEM / ODM

4

5

1

2

323

615730

7T / TPaypal

8DHLFEDEXTNTUPSSEMS

Q1.

A

Q2.

A / TPaypal

DHLFedExTNT UPS

Q3.

A

Q4.

A500037100,000715

Q5.

