



最大積載重量**280kg**のZ型金物

Z金物

1.Z型金物（全長1800mm）

2.金物

2.金物（全長1800mm）

3.金物（180Z / 280Z）

1
8
x
5
3
m
m



0000000000

00000000000000000000
00000000000000000000000000
000000000000






11

- ACMGoldbridge2
- ACM Goldbridge
-

□ □ □ □ □ □ □ □ □ □

Installation diagram



Two "L" short bracket spell "Z" bracket

Installation real effect figure



1111

☐ DHL ☐ FEDERAL EXPRESS ☐ TNT ☐ UPS ☐ EMS

11

U00000000100001000000003000

54.5×20×30.5mmmmmmmmmm20mm



ACM-Y280 L

L型
 250×47mm
 280KG

ACM-Y280 ZL

ZL型
 250×47mm + 180×53mm
 280KG

ACM-Y280 U

U型金具
サイズ182×45×28mm
耐荷重280KG



ACM-Y280 LC

LC型
耐荷重280KG

ACM-Y280 ZLC

ZLC型
耐荷重280KG

ACM-Y280 Z

Z□□□□□

□□□□180×53mm

□□□□□□□□280KG□□□□□□

You may need

□□□□□□□□□□□□□□□□□□□□



ACM-Y700

□□□□□□□□□□□□□□□□□□□□

ACM-Y600

□□□□□□□□□□□□□□□□□□□□

ACM-Y601

□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□



ACM-WEG02

□□□□□2□□□□□□□□□□□□□□
□RS232□RS485□□□TCP / IP□□□

ACM-K2A

K2A 115×40mm
K2B 86×86mm

ACM-Y806-3A

□□□□□□□□12V / 3A



ACM-Y280

重量280kg / 600lbs

ACM-26X

125Khz 26/34

115mm×75.5mm×16.8mm

ACM-EMI-S

125KHz EM

服務項目

1. 24小時

2. 專業技術人員

3. OEM / ODM

4. fashion desing &

5.

1. 專業技術人員

2. 專業技術人員

3. 專業技術人員 2 - 3

6. 15 7 30

7. T / T

8. DHL, FEDERAL EXPRESS, TNT, UPS, EMS

服務項目

Q1. 專業技術人員

A. E

Q2. 專業技術人員

A. T / T, Paypal

DHL, Federal Express, TNT, UPS

Q3. 專業技術人員

A.

Q4. 專業技術人員

A. 5000pcs 3-7 100,000pcs 7-15

Q5. 專業技術人員

A. OEM

Q6. 專業技術人員

RFID, NFC, RFID, keybod / RFID, rfid 1