

說明

433mhz無線電

規格

工作電壓
工作電流
工作溫度
工作頻率

工作電壓6V
工作電流315MHZ / 433MHZ
工作溫度50-100
工作頻率315MHZ / 433MHZ / 868MHZ

工作電流
工作溫度
工作頻率

規格表

工作電壓	315Mhz / 433Mhz / 868Mhz /
工作電流	±150KHz
工作溫度	A. 1527, 2240, HT6P20B, HT6P20D
	2260, 2262, 2264, 2272
	HCS301, HCS300, HCS200
	B. 1527, 2240, 2260, 2262, 2264, 2272
工作電壓	6V
工作電流	AM / FM
工作溫度	-50°C ~ + 80°C
工作頻率	315Mhz / 433Mhz / 868Mhz









.....





Realese

K2B 86 * 86mm

Realese

K9A 115 * 40mm

NO / NC K5B 86 * 86mm



□□□□□□□□□□□□□□□□; K815B□86 *
86mm

--	--	--	--	--	--	--

- [illegible]

--	--	--	--	--	--

A

A/T / TPaypal
DHL FedEx TNT UPS

A

A 5000 37 100,000 7 15

A _____ OEM _____

☐ RFID ☐ / NFC ☐ / RFID ☐ / RFID ☐ RFID ☐