

圖 圖

圖 圖 圖 圖 圖 **120LBS** 圖 圖 圖 圖

12V 圖 60kg 120lbs 圖 圖 圖 圖 圖 圖 圖 圖

圖: 60KG 圖 圖

圖: 圖 圖 圖 圖

圖: 60KG/120lbs

圖 圖: DC 12V

圖 圖: 110mA

圖: 0 ~ 95%

圖 圖: -10 ~ 55 圖

圖 圖: 圖 圖 圖 圖, 圖 圖 圖 圖

圖 圖 圖 圖 圖 圖

圖: 80*37*24mm/ 70*33*10mm

圖 圖 圖 圖 圖

圖 圖: 80x38x25mm

圖 圖 : 60kg(100圖)

圖 圖: 12/24VDC 圖 圖

圖 圖: 圖 圖 圖, 圖 圖, 圖 圖, 圖 圖 圖 圖

圖 圖 : 圖 圖 圖 NO/NC/COM//-


圖: 圖 圖, 圖 圖, 圖 圖, 12V/24VDC 圖 圖


圖: 圖 圖 圖 圖, 圖 圖 圖

圖: 0.6kg

圖: CE /MA









REMOTE CONTROL
WORKING VOLTAGE:DC12V
FREQUENCY:433MHZ
MODEL: HBK-R01

POWER

EXIT
BUTTON


MODE OF LOCK
NC NO

LOCK

Dimension



Power 12VDC:




Armature Plate




⚠ Caution:

- A. The screw of armature plate should not be fixed too tight, proper elasticity should be guaranteed for the rubber ring so that the armature plate can adjust itself to the appropriate position.
- B. Please keep the surface of the lock clean, or the force will be reduced because of the dust, glue or scotch tape on it.


Installation



Demonstration of Standard Installation



Demonstration of Z Bracket Installation



Demonstration of UL Bracket Installation





Model: M60 Magnetic lock 60kg/120lbs	Model: YM180 Magnetic lock 180kg/300lbs	Model: M280 -2Pin Magnetic lock 280kg/600lbs	Model: M350 -2Pin Magnetic lock 350kg/800lbs	Model: M500 -2Pin Magnetic lock 500kg/1200lbs
Model: M180N -2Pin Mortise Concealed EM lock 180kg/300lbs	Model: M280N -2Pin Mortise Concealed EM lock 280kg/600lbs	Model: M350N -2Pin Mortise Concealed EM lock 350kg/800lbs	Model: M500N -2Pin Mortise Concealed EM lock 500kg/1200lbs	Model: ACM-280W Outdoor Waterproof Magnetic lock 280kg/600lbs
Model: M180D Double Door 180kg/300lbs Magnetic lock	Model: M280D Double Door 280kg/600lbs Magnetic lock	Model: M350D Double Door 350kg/800lbs Magnetic lock	Model: M500D Double Door 500kg/1200lbs Magnetic lock	Model: ACM-500W Outdoor Waterproof Magnetic lock 500kg/1200lbs

ZL Bracket for Magnetic EM Lock	<table border="1"> <thead> <tr> <th>Item#</th><th>ZL Bracket Dimension</th></tr> </thead> <tbody> <tr> <td>M180ZL</td><td>Z bracket: 140*36*36mm</td></tr> <tr> <td>M280ZL M350ZL</td><td>L bracket: 250*50*30mm</td></tr> <tr> <td>M500ZL</td><td>Z= 185*70*63mm</td></tr> </tbody> </table>	Item#	ZL Bracket Dimension	M180ZL	Z bracket: 140*36*36mm	M280ZL M350ZL	L bracket: 250*50*30mm	M500ZL	Z= 185*70*63mm	ZL Bracket for Magnetic EM Lock	<table border="1"> <thead> <tr> <th>Item#</th><th>ZL Bracket Dimension</th></tr> </thead> <tbody> <tr> <td>M180Z</td><td>Z bracket: 140*36*36mm</td></tr> <tr> <td>M280Z M350Z</td><td>Z bracket: 180*50*50mm</td></tr> <tr> <td>M500Z</td><td>Z= 185*70*63mm</td></tr> </tbody> </table>	Item#	ZL Bracket Dimension	M180Z	Z bracket: 140*36*36mm	M280Z M350Z	Z bracket: 180*50*50mm	M500Z	Z= 185*70*63mm
Item#	ZL Bracket Dimension																		
M180ZL	Z bracket: 140*36*36mm																		
M280ZL M350ZL	L bracket: 250*50*30mm																		
M500ZL	Z= 185*70*63mm																		
Item#	ZL Bracket Dimension																		
M180Z	Z bracket: 140*36*36mm																		
M280Z M350Z	Z bracket: 180*50*50mm																		
M500Z	Z= 185*70*63mm																		
U Bracket for Magnetic EM Lock	<table border="1"> <thead> <tr> <th>Item#</th><th>U Bracket Dimension</th></tr> </thead> <tbody> <tr> <td>M180U</td><td>U bracket: 182*45*28mm</td></tr> <tr> <td>M280U M350U</td><td>L bracket: 140*33*25.5mm</td></tr> </tbody> </table>	Item#	U Bracket Dimension	M180U	U bracket: 182*45*28mm	M280U M350U	L bracket: 140*33*25.5mm	L Bracket for Magnetic EM Lock	<table border="1"> <thead> <tr> <th>Item#</th><th>U Bracket Dimension</th></tr> </thead> <tbody> <tr> <td>M180L</td><td>L bracket: 168*38*24mm</td></tr> <tr> <td>M280L M350L</td><td>L bracket: 250*50*30mm</td></tr> <tr> <td>M280DL</td><td>L bracket For double door magnetic lock 600lbs</td></tr> <tr> <td>M500L</td><td>L=265*73*45mm</td></tr> </tbody> </table>	Item#	U Bracket Dimension	M180L	L bracket: 168*38*24mm	M280L M350L	L bracket: 250*50*30mm	M280DL	L bracket For double door magnetic lock 600lbs	M500L	L=265*73*45mm
Item#	U Bracket Dimension																		
M180U	U bracket: 182*45*28mm																		
M280U M350U	L bracket: 140*33*25.5mm																		
Item#	U Bracket Dimension																		
M180L	L bracket: 168*38*24mm																		
M280L M350L	L bracket: 250*50*30mm																		
M280DL	L bracket For double door magnetic lock 600lbs																		
M500L	L=265*73*45mm																		

For More Proudcts Price List and informations , Please contact our sales at sales@goldbridgesz.com, thank you !



- ACM Goldbridge 2000 2000 2000.
- ACM Goldbridge 2000 2000 2000.
- ACM Goldbridge 2000 2000 2000.



STANDARD INSTALLATION STEPS

Professional guidance, Rest assured



1 Fold the plate to 90° .



2 Close the door first, then place the upper side of template on door frame, while adjust the left side next to the door leaf.



3 Mark screw positions of armature plate and magnetic lock on door leaf and door frame respectively.



4 Drill holes based on the marked positions.



5 Make a combination based on the picture.



6 Strike the pin into the armature plate slightly (to avoid movement).



7 Make a combination based on the picture (add washer accordingly). The rubber ring must be added.



8 Place the rubber ring between armature plate and door leaf.



9 Use Allen key to remove the mounting plate from lock body.



10 Fix the mounting plate on the door frame according to the holes drilled earlier.



11 Use Allen key to screw the lock body on the mounting plate.



12 Close the door to test holding force. The angle between armature plate and magnetic lock can be adjusted by adding or reducing washers.



13 After all the appropriate procedures, the holding force can be maximized. Finally, fix the tamper screw.



Hollow Metal Door
Drill a hole
Inside: Diameter is 8mm
Outside: Diameter is 16mm



Wooden Door
Drill a hole
Inside: Diameter is 8mm
Outside: Diameter is 12.7mm



Metal Surface Door
Inside: Drill a hole
diameter is 8mm folding
the plastic straight pin

Notice:

Thickness of Door Leaf:

350LBS: 44mm

600LBS: 50mm

800LBS: 48mm

1200LBS: 46mm

□□ □ □□

□□ □□

□□□ DHL, FEDEX, TNT, UPS, EMS, SEA □ By AIR□ □□□ □□ □□□ □□□□.

□□□ □□ □□□□□ □□□ □ □□□□.

□□

□□□ □□: □□ □ 1unit, □□ □ 5pcs,

□□ □□: 35*30*16cm, □□□: 25kg.



You may need



ACM-Y280N

□□□□ □□ □□ □□(280kgs/600lbs) □□□ □□:
□□ □, □□ □, □□ □, □□| □□□

ACM-Y180

□□ □□□(180kg/300lbs) □□ □□ □□ 2□□ □□
□□. □□ □□: □□ □, □□ □, □□ □, □□ □.

ACM-Y280

280kg(600lbs) □ □□□ □ □□ □ □□ □□□: □□□

□□ □, □□□ □, □□ □, □□□ □.



ACM-Y280-L

280kg/350kg □□□□ L □□□

ACM-Y180ZL

180kg/300lbs □□ □□□ ZL □□□

ACM-Y280-ZL

280Kg/350Kg □□□□ ZL □□□

- 1, 我們 24小時 服務 團隊。
- 2, 我們 有 自己的 工廠, 我們 有 自己的 設計 團隊
- 3, 我們 OEM/ODM
- 4, 我們, fashin desing, 樣板 & 包裝, 我們 有 自己的
- 5, 我們 有 自己的:
- 1), 我們 有 自己的 設計 團隊 我們 有 自己的 設計 團隊
- 2) 我們 有 自己的 設計 團隊
- 3) 我們 有 自己的 設計 團隊 我們 有 自己的 設計 團隊 2-3 我們 有 自己的
- 6, 我們 有 : 我們 有 1~5, 我們 有 7~30 我們
- 7, 我們: T/T, Western Union, Paypal 我們 有 自己的 設計 團隊
- 8, 我們: 我們 DHL, FEDEX, TNT, UPS, EMS, SEA 我們 AIR 我們 有 自己的 設計 團隊 我們 有 自己的 設計 團隊 我們 有 自己的 設計 團隊

我們 有

Q: 1. 我們 有 自己的 設計 團隊?

A: 我們 有 自己的 設計 團隊 我們 有 自己的 設計 團隊 我們 有 自己的 設計 團隊 我們 有 自己的 設計 團隊 我們 有 自己的 設計 團隊 我們 有 自己的 設計 團隊

Q: 2. 我們 有 自己的 設計 團隊?

A: TT/T, 我們, 我們 有 自己的

我們 有, 我們 有 自己的(DHL, FedEx, TNT UPS 我們 有 自己的)

Q: 3. 我們 有 自己的 設計 團隊 我們 有 自己的 設計 團隊?

A: 我們 有 自己的 設計 團隊 我們 有 自己的 設計 團隊 我們 有 自己的 設計 團隊

我們:4. 我們 有 自己的 設計 團隊 我們 有 自己的 設計 團隊?

A: 我們 有 自己的 設計 團隊 我們 有 自己的 設計 團隊 5000pcs 我們 3-7, 100,000pcs 我們 7-15

我們:5. 我們 有 自己的 設計 團隊 我們 有 自己的 設計 團隊?

A: 我們, 我們, 我們 有 自己的 設計 團隊 我們 有 自己的 設計 團隊 我們 有 自己的 設計 團隊. OEM 我們 有 自己的 設計 團隊

Q:6.Are 我們 有 自己的 設計 團隊?

我們 20 我們 有 自己的 RFID 我們/NFC 我們/RFID keybod /RFID 我們, rfid 我們 有 自己的 設計 團隊 我們 有 自己的 設計 團隊 我們 有 自己的 設計 團隊

20⁺ YEARS EXPERIENCE OEM & ODM

ACCESS CONTROL SYSTEMS ONE STOP SOLUTION PROVIDER

Goldbridge is Top 10 China Manufacture On Alibaba, Specializes In Provide Kinds Of RFID/NFC Cards, FID Tags, RFID Card Reader, UHF Reader, Access Control System, Electromagnetic Locks, etc Since 1999



Customized
Services



Quality
Assurance



Fast
Delivery



Best After-
Sales Service

OUR FACTORY



Access Control and RFID Reader Production Line:

- Monthly production quantity is up to 50,000pcs, We are Provides OEM&ODM services including product research and development, LOGO printing, customized.etc



Electromagnetic lock & Smart Door Lock Production Line :

- Monthly production quantity is up to 100,000pcs,
- Our factory is built with modern manufacture environment, facilities, equipment and professional operation technicians.
- Goldbridge Provides OEM&ODM services including product research and development, LOGO printing and product box customized.



RFID & NFC Cards & Tags Production Line :

- RFID Tag, Wristband, Keyfob: 11,000,000pcs (monthly output)
- Four Production Lines For Smart Card, PVC Card, Prelam Sheet: 20,000,000pcs (monthly output)
- Goldbridge Provides OEM&ODM services for LOGO printing, development, customized.

ADVANTAGE



WHY CHOOSE US?

- FAST DELIVERY** Faster delivery by air by express. (DHL, UPS or Fedex)
- LONG HISTORY** 20 years experience in RFID & Access Control industry
- OEM ACCEPTABLE** 20 years OEM&ODM experience for 1000 + VIP client from US and Europe
- HIGH QUALITY** Design and manufacture high quality products with 30 R&D; engineers.

APPLICATION

Bus, supermarket, school, government, hospital, factory



CERTIFICATE



