

13.56mhz NTAG213 圓形 PVC NFC 感應卡 圓形



材質 : PVC

厚度 : 0.2mm / 3M 貼紙 / 圓形 / 圓形





3M 9448A Double Coated Tape

3M 9448A Double Coated Tape is a high-strength, double-coated adhesive tape. It is designed for use in a wide range of applications, including bonding, sealing, and repair. The tape is made of a high-strength, double-coated adhesive material, which provides excellent adhesion and durability. It is also resistant to moisture, chemicals, and UV radiation. The tape is available in a variety of widths and lengths, making it a versatile and easy-to-use product.



Model	NTAG 213	NTAG 215	NTAG 216
Standard	ISO / IEC14443 Type A, NFC	ISO / IEC14443 Type A, NFC	ISO / IEC14443 Type A, NFC
Capacity	144 bytes	504 bytes	888 bytes
Read Speed	100,000 / s	100,000 / s	100,000 / s
Write Speed	10 / s	10 / s	10 / s
RF Frequency	13.56MHz	13.56MHz	13.56MHz
Read Range	106kbit / s	106kbit / s	106kbit / s
Write Range	106kbit / s	106kbit / s	106kbit / s
Dimensions	100mm	100mm	100mm
Capacitance	50pF	50pF	50pF
Material			


7 000, 000	7 000, 000	7 000, 000	7 000, 000
Blockwise	Blockwise	Blockwise	Blockwise





□ □ □ □





ACM-EMI-S

125Khz TK4100 100 rfid 100 100

ACMM-MF1

13.56mhz MF1K 100 F08 RFID 100

ACM-INLAY

125khz, 13.56mhz, 860-960mhz 100 100





11/11

በሙሉ በሙሉ የሚሰጠው የሙሉ የሙሉ የሙሉ **ACM Goldbridge** የሙሉ የሙሉ የሙሉ **2** የሙሉ የሙሉ.

በሙሉ **ACM Goldbridge** የሙሉ የሙሉ የሙሉ የሙሉ.

በሙሉ የሙሉ የሙሉ የሙሉ የሙሉ.

የሙሉ የሙሉ

Q : 1. የሙሉ የሙሉ የሙሉ?

A : የሙሉ የሙሉ የሙሉ የሙሉ የሙሉ. የሙሉ የሙሉ የሙሉ የሙሉ የሙሉ የሙሉ የሙሉ የሙሉ የሙሉ የሙሉ.

Q : 2. የሙሉ የሙሉ የሙሉ?

A : የሙሉ የሙሉ የሙሉ **T / T**, የሙሉ, የሙሉ የሙሉ.

የሙሉ የሙሉ, የሙሉ የሙሉ **(DHL, FedEx, TNT UPS)** የሙሉ የሙሉ.

Q : 3. የሙሉ የሙሉ የሙሉ የሙሉ የሙሉ የሙሉ?

A : የሙሉ የሙሉ የሙሉ የሙሉ የሙሉ የሙሉ, የሙሉ የሙሉ የሙሉ የሙሉ.

Q : 4. የሙሉ የሙሉ የሙሉ የሙሉ?

A : የሙሉ የሙሉ የሙሉ. የሙሉ **5000pcs** የሙሉ **3-7** , **100,000pcs** የሙሉ **7-15**

Q : 5. የሙሉ የሙሉ የሙሉ የሙሉ?

A : የሙሉ, የሙሉ, የሙሉ የሙሉ የሙሉ የሙሉ የሙሉ የሙሉ. **OEM** የሙሉ የሙሉ የሙሉ.

Q : 6. የሙሉ የሙሉ **companyor የሙሉ?**

የሙሉ የሙሉ **RFID** የሙሉ / **NFCtags** / **RFID keybod** / **RFID** የሙሉ የሙሉ የሙሉ የሙሉ የሙሉ.