

□□ **rfid** □□ □□ **UHF RFID** □□ □□ □□ □□□□ □□ □□

ACM09G RFID 2.45GHz □□ □□ □□ □□ □□, □□□ □□ □□□ □□  
□□□□ □□ □□ 1) □□ □□□ : ISM2.45GHz 2) □□ □□ : □□ □□ : 3  
~ 80 □□



2.4GHZ □□□ □□□ □□

□  
□  
□  
□  
□  
□  
A  
C  
M  
9  
G  
2  
.  
G  
H  
Z  
□  
□  
□  
□  
□









# Stable Working Performance



Correct Recognition Rate

*reaches up to*

# 99.99%



## 2.45GHz Reader

*Directional Type*

*Applied in*

## Various Fields



**Adjustable Reading Range**

*Longest up to*

**80Meters**



□□ □□□□.





**UHF** □□ □□ □□

ACM-UHF-M. UHF □□□ 860-915mhz  
RFID □□□ □□ □□□ 148 \* 25 \* 4mm

**UHF** □□ □

ACM-UHF-S UHF stikcer  
860-915mhz RFID □□□ 86 \* 54mm

**ACM S001**

UHF □□ □□□  
Anti-tamper / Anti-fake Sticke





### **ACM 217**

UHF USB 〇〇〇〇 〇〇 / 〇〇〇

### **ACM 26C**

125Khz EM 〇〇〇 〇〇

70cm - 1 〇〇 〇〇

### **ACM09G**

〇〇〇 2.4G 〇〇 〇〇〇 〇〇 10 ~ 50 〇〇, 〇〇 〇

26/34 〇〇

〇〇 〇〇

- 〇〇〇 〇〇 〇〇〇 〇〇 〇〇 〇〇〇〇 〇〇〇〇〇. ACM Goldbridge 〇 〇〇 〇〇 〇 〇〇 〇〇〇 〇〇〇〇〇.
- 〇〇〇 ACM Goldbridge 〇 〇〇 〇〇 〇〇〇 〇〇〇〇〇.
- 〇〇〇 〇〇〇 〇〇〇 〇〇〇 〇〇〇〇〇〇.

