

5 * 12 PVC 標籤 RFID 標籤 標籤 prelam

標籤 標籤 標籤 標籤 標籤 標籤 RFID 標籤 標籤 標籤 標籤。

1. 標籤 標籤 標籤 標籤 標籤。
2. 標籤 標籤 標籤 標籤 標籤。
3. multiple 標籤 標籤。
4. 標籤 標籤 標籤 標籤 標籤。
5. 標籤 標籤 標籤 標籤 標籤。

標籤 標籤 標籤 標籤 標籤 標籤 標籤。 標籤 標籤 標籤 25pcs (305x460 / 325x480), 24pcs (300x480 / 290 * 480), 8 / 10 / 16 / 20pcs (210x297), 40 / 48pcs (210x297)


RFID 標籤 / Prelam	
PVC / PET	
標籤 標籤 標籤 標籤 標籤。	
標籤 標籤 標籤 標籤 標籤。	
125KHz / 13.56MHz / 860 ~ 960MHz	
EM4200, TK4100, T5577, 標籤 標籤 標籤 標籤	
ISO 14443, ISO 15693, ISO 18000	
310mm x 468mm, 標籤 標籤 520mm x 420mm, A4 210mm x 297	
3x7, 5x5, 3x8, 4x6, 2x5, 12x5 標籤 CR80 標籤 標籤 標籤 標籤 標籤 標籤 標籤 (LF + HF)	
0.4mm, 0.45mm, 0.5mm, 0.6mm	
HF : 標籤 antenna, alting 標籤 al 標籤	
LF : 標籤 標籤 標籤, 標籤 標籤 標籤 標籤	
UHF : 標籤 標籤	
-25 °C ~ + 55 °C	
-25 °C ~ + 55 °C	
RFID 標籤 標籤	




STRUCTURE

Printing Layer

Prelam

Printing Layer





CUSTOMIZABLE

It can be customized according
to the format you need

THICKNESS

Normal:0.60mm

Min:0.50mm

LF 

Normal: 0.45mm
0.50mm


Min:0.30mm

HF 

Normal: 0.40mm
0.45mm

Min:0.30mm

UHF 



□□ & □□

[illegible]

THE PACKAGING PROCESS





Windinig prelam Inlay



Carton packaging



Carton packaging



ACM-INLAY-EM-TK4100



□□ □□□□ 125khz TK4100 □ □□□

ACM-INLAY-MF 1K-F08 □

□□ □□□□ 13.56mhz F08 □ □□□

ACM-INLAY-MF 1K-S50 □□

□□ □□□□ MF 1k S50 □□□□ □ □□□



ACM- □□□

□□ □□□□ MF 4K S70 □□ □ □□ □□□

ACM-INLAY-T5577

T5577 □ □□ □□□ (□□ □□ □)

ACM-INLAY-UHF-6C

□□ □□□□ UHF □ □□ □□□

