

Wiegand 00 000 00 00 00 00 00 00 0 000 00 000 RFID 00 000 000 000 00 000

ACM-A30 00 00 00 0 00 00 000 0000, 00 000 0 000 000
000 0000 00 Wiegand 00 0 000 00 0000 000 0 0000. 00 000
000, 00 0 000 0000 00



W
G
2
6
7
3
4
□
□
□
□
□
1
1
5
x
7
:
2
2
m
m

W
G
W
2
6
e
g
3
4
n
d
□
□
□
□
□
□
8
6
□
□
E
M
I
D
□
□

1
%
□
□
□
%
.
R
H
4
□
□
P
□
N
□
□
1
2
5
K
H
z
E
M
□
□
□
□
□
□
m
h
z
□
□
□
□

1

.

1

0

(

2

)

0

3

6

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

PI
N
PI
N
+
PI
N
.
:
G
1
9
x
1
2
:
5
5
m
m



- □□ □□ □□, □□□□ □□ □□ □□□□ □□
□□, □□ □□ □ □□ □□.
2. □□ Wiegand 26 □□ □ □□□ □□ □□□□ □□ □ □□□□.
3. □□ □□, □□ □□, □□ □□□ □ □□ □□ □□ □□.
- □□□, 0.1 □ □□ 4. □□□ □□.
5. □□ □□ □ □□□ □□□□ □□ 8000 □□ □□□ □□ □□□□□□.
- □□ □ □ □□□ □□□ □□□ 6.high □ □□□□□ □□ □□
□□.
7. □□ □□ □ □□□ □□ □□.

Product function

- ◆ Touch panel, doorbell button
- ◆ Metal case with blue backlight
- ◆ WG26/34 input/output
- ◆ Support Card, Pin, Card + PIN
- ◆ Full programming from the keypad
- ◆ Humanized tamper alarm function
- ◆ Can set up a management card
- ◆ Active and passive lock signal output
- ◆ Imported double point relay output signal
- ◆ Contactless for RFID transponder technology
- ◆ Connection for external release button (Exit button)
- ◆ Memory capacity: 8000 user cards and 1 passwords
- ◆ Does not need to connect on computer, it can works alone
- ◆ The same series of access control support data copy and backup
- ◆ Can be used when the password read head and one machine



ACM-A30 四 四 RFID 四 四 四 四 LED 四 四 四 8000 四 四 四 四

Welcome To Goldbridge Ltd

ACM-A30 touch metal access controller

RFID card,
password,
RFID card+password,
8000 users, large capacity !



Lightning delivery



Global sales



Package mail



Technical support



After-sale

我们提供OEM/ODM服务。 [OEM / ODM](#)



Red Bronze



Green Bronze



Golden



Silver



White Bronze


□□□□

Wiegand 26/34 □□ □□, □□ □□ □□ □□ □□ □□ □□

ACM-A30 Model



Wiring diagram



Attention when electronically controlled lock must be transferred to 0 seconds delay, to prevent burning of electric lock.

□□ □□□□□.

□□□ □□ □□□ □□ □□, □□□ □□□ □□ □□ □□ □□ □□□ □□□ :



ACM223

□□ □□□ RFID & □□□ □□□ □□, 125Khz EM
1000/4000 USer □□

ACM209-NW

□□□ □□ RFID □□ □□ AccessControl (□ □

), 125Khz EM

ACM208

RFID 125Khz EM 12.5cm



ACM210

RFID 125Khz EM 12.5cm

ACM225

RFID 125Khz EM, 12.5cm

ACM211B

RFID 標籤, 標籤 貼
RFID 標籤

RFID 標籤

- 1, 24 小時 服務
- 2, 標籤 貼 標籤, 標籤 貼 標籤 貼 標籤 貼 標籤 貼
- 3, OEM / ODM 服務
- 4, 標籤 貼, fashion desing, 標籤 貼 & 標籤 貼 標籤, 標籤 貼 標籤
- 5, 標籤 貼 :
 - 1), 標籤 貼 標籤 貼 標籤 貼 標籤 貼
 - 2), 標籤 貼 標籤 貼 標籤 貼
 - 3), 標籤 貼 標籤 貼 標籤 貼 標籤 貼 2 ~ 3 小時 服務
- 6, 標籤 貼 : 標籤 貼 1 ~ 5 天, 標籤 貼 7 ~ 30 天
- 7, 標籤 貼 : 標籤 貼 標籤 貼 標籤 貼 標籤 貼 : T / T, Western Union, Paypal, Ali trade assurance
- 8, 標籤 貼 : 標籤 DHL, FEDEX, TNT, UPS, EMS, SEA 或 AIR 標籤 貼 標籤 貼 標籤 貼 標籤 貼 標籤 貼 標籤 貼 標籤 貼

RFID 標籤

Q : 1. 標籤 貼 標籤?

A : 標籤 貼 標籤 貼 標籤 貼 標籤 貼 標籤 貼 標籤 貼 標籤 貼 標籤 貼 標籤 貼

Q : 2. 標籤 貼 標籤?

A : 標籤 貼 T / T, Paypal, Western Union.

標籤 貼, 標籤 貼 標籤 貼 (DHL, FedEx, TNT UPS 等) 標籤 貼 標籤.

Q : 3. 標籤 貼 標籤 貼 標籤 貼 標籤?

A : 標籤 貼 標籤 貼 標籤 貼 標籤 貼 標籤 貼 標籤 貼 標籤 貼 標籤 貼 標籤 貼

Q : 4. 標籤 貼 標籤 貼 標籤?

A : 標籤 貼 標籤. 標籤 貼 5000pcs 貼 3-7 天, 100,000pcs 貼 7-15 天

Q : 5. 標籤 貼 標籤 貼 標籤?

A : 標籤, 標籤, 標籤 貼 標籤 貼 標籤 貼 標籤 貼. OEM 標籤 貼 標籤.

Q : 6. 標籤 貼 標籤 貼 標籤?

標籤 20 天 貼 標籤 RFID 貼 / NFC 貼 / RFID keybod / RFID 貼 貼, rfid 貼 貼 貼 貼 貼 貼 貼 貼 貼 貼 貼 貼 貼 貼 貼 貼 貼