

RFID 125KHZ ID

[illegible]

W
G
2
6
7
3
4
□
□
□
□
□
8
6
x
8
:
6
m
m
W
G
W
6
e
9
4
□
□
:
□
□
□
□
8
6
□
□
E
M
□
D
□
□

1
%
□
□
□
%
.
R
H
4
□
□
P
I
N
□
□
1
2
5
K
H
z
E
M
/
□
□
□
□
□
□
m
h
z
□
□
□
□

[illegible]

.
5
:
G
1
9
x
1
2
5
:
5
5
m
m

□□

□□□ □□□ □□□ □□, □□□□ □□ □□ □□□□ □□
□□, □□ □□ □ □□ □□.

2. □□ Wiegand 26 □□ □ □□□ □□ □□□□ □□□ □ □□□□.

3. □□ □□, □□ □□, □□ □□□ □ □□ □□ □□ □□.

□□ □□□, 0.1 □ □□ 4. □□□ □□.

5. □□ □□ □ □□□ □□□ □□□ □□ 8000 □□ □□□ □□ □□□□□□.

□□ □□ □ □ □□□ □□□ □□□ 6.high □ □□□□□ □□ □□
□□.

7. □□ □□ □ □□□ □□ □□.

□□□□

ACM-A88 □□ □□□ RFID □□ □□□ □□ □□ □□ □ LED □□□□□□ 8000 □□ □□□ □□ □□

Product function

Touch panel, doorbell button

Metal case with blue backlight

WG26/34 input/output

Support Card, Pin, Card + PIN

Full programming from the keypad

Humanized tamper alarm function

Can set up a management card

Active and passive lock signal output

Imported double point relay output signal

Contactless for RFID transponder technology

Connection for external release button (Exit button)

Memory capacity: 8000 user cards and 1 passwords

Does not need to connect on computer, it can works alone

The same series of access control support data copy and backup

Can be used when the password read head and one machine



产品解析

Product analysis



Wiegand 26

Wiegand 26 是一款由 Wiegand 公司生产的门禁控制器。它支持多种通信协议，包括 Wiegand 26、RS485 和 TCP/IP。该设备通常用于控制门禁系统，并可与各种读卡器和生物识别设备兼容。



□□ □□

- □□□ □□ □□□ □□ □□ □□□□ □□□□□. ACM Goldbridge□ □□ □□□ □□ 2 □□ □□□ □□□□□.
- □□□ ACM Goldbridge□ □□□ □□ □□□ □□□□□.
- □□□ □□□ □□□ □□□ □□□□□□.

□□ & □□



□□ □□

□□□ DHL, □□□, TNT, UPS, EMS, SEA □ By By AIR□□ □□□ □□ □□□ □□□□ □□□□.

□□

□□□ □□□ □□ □□ : □□ □ 1 □, □□ □ 50 □,
□□ □□ : 45 * 31 * 28cm, □□□ : 16kg.

□□ □□□□□.

□□□ □□ □□□ □□ □□ □□, □□□ □□□ □□□ □□ □□□ □□ □□ □□□□ □□□ :



ACM223

RFID & 125Khz EM
1000/4000 USer

ACM209-NW

RFID AccessControl (125Khz EM

ACM208

RFID



ACM210

RFID 125KHz 125KHz (125KHz)

ACM225

RFID 125KHz 125KHz, 125KHz EM, 125KHz
125KHz

ACM211B

RFID 125KHz 125KHz, 125KHz 125KHz
125KHz

- 1, 00 00 24 00 000 000000
- 2, 00 00 0 00 00, 00 00 000000 000 0 000 0 00 00 00
- 3, OEM / ODM 00
- 4, 00 00, fashin desing, 0000 & 00000 00, 00 00 00
- 5, 000 000 :
- 1), 00 000 0000 0000 00 000 00000 0000.
- 2), 00 000 00 00 0 00000.
- 3), 000 00 000 000 000 00 0000 00 00 2 ~ 3 0 000000
- 6, 00 00 : 00 00 0 1 ~ 5 0, 00 00 0 7 ~ 30 0
- 7, 00 : 000 00 000 00 000 00 0 0 0000 : T / T, Western Union, Paypal, Ali trade assurance
- 8, 000 : 000 DHL, FEDEX, TNT, UPS, EMS, SEA 0 AIR0 00 0000000 000 00 000 00 00 000 00 000 000 0 0000.

Q : 1. என்ன நன்மை உண்டாகும்?
A : என்ன நன்மை உண்டாகும் என்பதைப் பற்றிப் படிக்கவும்.

Q : 2. 如何寄包裹到海外?
A : 如何寄 T / T, Paypal, Western Union.
如何寄, 如何寄 (DHL, FedEx, TNT UPS 等) 如何寄到海外。

問 3. 如何證明 $\lim_{n \rightarrow \infty} \frac{1}{n} = 0$?

答: 如何證明 $\lim_{n \rightarrow \infty} \frac{1}{n} = 0$ 呢? 我們知道, $\frac{1}{n}$ 是一個正數, 且 $\frac{1}{n}$ 隨著 n 的增大而減小。

Q : 4. $\frac{1}{\lambda} \propto \sqrt{\nu}$ or $\lambda \propto \frac{1}{\sqrt{\nu}}$

問 5. どの部品が壊れたのかを調べるにはどうしますか？
 A: 油圧、空気、電気の3つのシステムを順番に確認します。OEMの修理マニュアルを参照します。

Q : 6. **RFID 20 10 100000 100 100000?**
 RFID 20 10 100000 RFID 100 / NFC 100 / RFID keybod / RFID 100 10, rfid 100 10 10000 100 10000 100 10 100 10 1000000.