

## RF 125khz Ip68 125khz RF 125khz RF 125khz



1: 2 125khz, 2 125khz 2000 125khz

2: 1 125khz 125khz 125khz 125khz.

3: 125khz 125khz, 125khz Normal ON, Normal OFF 125khz Human-approach 125khz 125khz.

4: 7 125khz 125khz

> Wiegand 125khz

> 125khz 125khz

> 2 125khz

> 2 125khz 125khz

> 2 125khz 125khz 2 125khz

> 125khz 125khz 125khz

> 2 125khz 125khz

Product Picture



Digits backlight keypad

Two color LED

Doorbell button



Exquisite Workmanship  
Perfect Design



Waterproof

Metal, waterproof, outdoor use  
Multi access way, convenient and safe



Digits Backlight



Device 2



Device 1


|        |                             |
|--------|-----------------------------|
| □□ □□  | □□ □□ / EM + HID / MF + CPU |
| □□ □□  | IP68                        |
| □□□ □□ | 2000 □□ □□ □□, 2000 □□□ □□  |

|             |                 |
|-------------|-----------------|
| 湿度 範囲       | 10 % ~90 %      |
| 湿度 範囲       | ≤3A             |
| 湿度 範囲       | DC12V ± 10 %    |
| 電圧          | ≤30mA           |
| 電圧 範囲       | ≤20A            |
| 電圧 範囲 電圧 範囲 | ≤100μS          |
| 電圧 範囲 電圧    | 5 ~8cm          |
| 電圧 範囲       | -45 °C ~60 °C   |
| 電圧 範囲 電圧    | 0 ~99s (電圧 範囲)  |
| 電圧          | 120 * 80 * 22mm |





## Dimensions(mm)



## Package Size(cm)



Product box size



The product packing size

## Packing list



000 00000 0000 3 0 00 00 0000 0000 !!!

000 20 00 000 00 00 000 00 000 000 00 00 0000 0000 0000 00 000 0000 00000! 00 00 0000 00 00 0000 0000  
0 00 "00"0 000000!

0000 000 0 000 00 0000 00000 0000 000000 00000 00000.



**ACM223**

00 RFID 000 0 0000 0000 00, 125Khz EM  
1000/4000 USer 00



**ACM208B**

RFID 00 00 00 00 0 0000 00



## ACM210-W

RFID 密碼 密碼 密碼 密碼 (密碼 密碼)



## ACM-A10

密碼 RFID 密碼 密碼 密碼 密碼 密碼 密碼  
密碼 / 密碼 密碼 / 密碼 密碼 / 密碼 密碼 / 密碼



## ACM-A20

密碼 密碼 RFID 密碼 密碼, 125Khz EM,  
Wiegand 密碼 密碼 密碼



## ACM-A30

密碼 RFID 密碼 密碼 密碼 密碼 密碼 密碼  
密碼 / 密碼 密碼 / 密碼 密碼 / 密碼 密碼 / 密碼



### ACM-A40

EM RFID 鑰匙 + 密碼 密碼 密碼 PIN 密碼



### ACM-A60

密碼 RFID 鑰匙 密碼 密碼 密碼 密碼 密碼 密碼  
密碼 / 密碼 密碼 / 密碼 密碼 / 密碼 密碼 / 密碼



### ACM-A88

密碼 RFID 鑰匙 密碼 密碼 密碼 密碼 密碼 密碼  
密碼 / 密碼 密碼 / 密碼 密碼 / 密碼 密碼 / 密碼

## You may need

密碼 密碼 密碼 密碼 密碼 密碼 密碼 密碼.



× 70 × 25 mm, DIMENSION K2B : 86  
× 86 × 25 mm



**ACM-Y806-3A**

12V 5A □□ □□ □□ □□, □□ □□ □□ □□ □□



**ACM26X**

125kHz 26/34 Wiegand □□, □□ :  
115mm × 75.5mm × 16.8mm



**ACM-EMI-S**

EM 125Khz □□ □ □□





本公司在阿里巴巴网站上开设了店铺，您可以通过阿里巴巴网站找到我们。Alibaba.com 是我们的主要销售渠道。您可以通过以下方式联系我们：



**SHENZHEN GOLDBRIDGE INDUSTRIAL CO., LTD**

**Address:** Futian District, Shenzhen of China

**Telephone:** +86-755-83767678

**Contact Person:** Lily Jiang

**WhatsApp and Mobile Phone:** +86-13554918707

**Skype:** lily-jiang1206

**E-mail:** sales@goldbridgesz.com

**Website:** <http://www.goldbridgesz.com>