- 1	 	
- 1	 	
- 1	 	

ACM-218G [[[[[

| Bluetooth | | |

> 00 000, 00 00

> [][, IP66 []

> 000 000 (00 00, 00 00)

> 00 00 2 00 00 : 0000 00

> APP □ Android 4.3 □ IOS7.0 □

00 00 00			
	ACM-218G- □□□□		
000 00	10000		
	13.56MHz Mifare □□ (S5-BT MF) / 125KHz EM □□ (S5-BT EM)		
000 00	Android 4.3 ☐ IOS7.0 ☐☐		
00 00	12V DC		
00 00	<35mA		
00 00	<90mA		
00 00 00	Mifare □□ / EM □□		
000 00	13.56MHz / 125KHz		
00 00 00	2~ 6cm		
0000	000 00 : 4.0 00		
	<20m ([[][)		
	<2 []		
	□□ (NO, NC, Common)		
00 00 00	□□ 2A		
	IP66 □□		
00 00	-20° C ~ + 60 ° C		
00 00	0 %~ 98 %		
000 0	00 00 0000		
00	L103 x W48 x H19 (mm)		


00 00	0.27KG
	40pcs / □□
00 00	10.8KG
00 00	47 * 30 * 18.2cm

Product Picture





Product Dimensions









ACM223

RFID [] [] [] [] [] [] [] [] [] [] EM 125/4000 US 125Khz

ACM209-NW

ACM208







ACM210

ACM225

RFID $\bigcirc \bigcirc \bigcirc \bigcirc \bigcirc \bigcirc \bigcirc \bigcirc \bigcirc \bigcirc$, 125Khz EM, Wiegand $\bigcirc \bigcirc \bigcirc \bigcirc \bigcirc \bigcirc$

ACM211B



- 1, 00 000 24 00 000 00000.
- 3, OEM / ODM 🔲
- 4, $\square\square\square$, fashin desing, $\square\square\square\square\square$ $\square\square\square\square\square\square$ $\square\square$, $\square\square$ $\square\square$
- 5, 00 000 :
- 1), 00 000 0000 00 000 0000 00000
- 2), 00 000 0000 00 0 00000.
- 3), 000 00 000 000 00 00 00 00 2-3 0 000 0000.



Q:1. 000 000 0 0000?

Q: 2. 00 0 000 00000?

 $\mathsf{A}: \square\square \ \square\square \ \square \ \mathsf{T} \ / \ \mathsf{T}, \ \square\square\square, \ \square\square\square \ \square\square\square.$

Q:3.00000000000000000000000000?

Q: 4. 000 00 000 000 000 0 0000?

 $A: \Box\Box\Box\ \Box\Box\ \Box\Box\Box\Box$. $\Box\Box\Box\Box\Box\ 5000\ \Box\Box\Box\ \Box\Box\ 3-7\ \Box$, $100,000\ \Box\Box\Box\ \Box\Box\ 7-15\ \Box$

Q:5.0000000000000000000000000?

Q: 6. 000 00 00 00 00000?