



1. 简介

CC 读卡器可支持 IC 卡, 磁卡, 指纹, 人脸 + 卡读卡器等多种应用。2 读卡器支持 2 种读卡模式, 读卡速度高达 2000 张/秒, 读卡距离可达 10 厘米。

Lock, Alarm, Ring Bell 报警, Exit Button 开门按钮, Door Contact 门磁等多种应用。

支持 7 种读卡模式: 1. Wiegand 读卡, 2. 刷卡, 3. 2 卡读卡, 4. 2 卡读卡, 5. 2 卡读卡, 6. 刷卡, 7. 刷卡。

支持 1 卡, 2 卡, 3 卡, PIN 卡, 2 卡读卡等多种应用。

2. 规格

1. 频率: 125KHz 或 13.56MHz 读卡器 (CC1AS)

2. 读卡模式: Normal ON, Normal OFF 或 Human-Approach ON 读卡器。

3. 读卡距离: 0 厘米, 读卡器支持多种应用。

4. 读卡速度: 读卡器支持多种应用。

5. 读卡器支持多种应用。

6. 读卡器支持多种应用。

7. 读卡器支持: 1 卡, 2 卡, 3 卡, 读卡器支持多种应用, 读卡器支持多种应用。

3. 参数

供电: AC / DC 12-24V

功耗: <25mA

读卡距离: <1A

读卡距离: <1A

读卡距离: <1A

读卡器支持 40mm

读卡器支持: EM 或 HID 或 125KHzMifare 或 13.56MHz


读卡器支持 26-37 或 Wiegand

读卡器支持: 4 卡, 8 卡, 读卡器支持多种应用

工作温度: -45 ° C ~ 55 ° C

相对湿度: 0 % ~ 95 %

Product Dimensions





ACM223

RFID 125Khz EM
125/4000 US 125Khz

ACM209-NW

RFID (125Khz EM)
125Khz EM

ACM208

RFID 125Khz EM





ACM210

RFID 125Khz EM, Wiegand 26bit

ACM225

RFID 125Khz EM, Wiegand 26bit

ACM211B

RFID 125Khz EM, Wiegand 26bit

RFID 125Khz EM, Wiegand 26bit

- 1, 24 hours service.
- 2, OEM / ODM service.
- 3, OEM / ODM service.
- 4, fashion desing, various colors, etc.
- 5, MOQ : 1000
- 6, Lead time : 1-5 days, 7-30 days
- 7, Payment : T/T, Western Union, Paypal, Ali
- 8, Shipping : DHL, FEDEX, TNT, UPS, EMS

