



Wiegand 26

1. 频率: 4000 赫兹
 2. 频率范围: 125KHz
 3. 电压: DC12V
 4. Wiegand 26 格式
1. 地址
 - 1.1 地址范围:

11


- [illegible]

11

Dimensions(mm)



B B L + B B E E - W G D A O A O W G E I I 1 I I I N C I I C O m I I I I I N O I I



□□□ 5 □ □□□

□□□ □□ □□□ □□ □□□□□□, □□□ □□ □□□ □□ □□□□ □□□ □□□□.





ACM223

RFID 125Khz
EM 1000/4000 USer

ACM209-NW

RFID (),
125Khz EM

ACM208

RFID



0000 00

Q : 1. 000 000 0 0000?

A : 000 00 000 00 000 000000. 00 00 00 00 0 00 00 000 000 00 000000. 000 00 000 00000.

Q : 2. 00 0 000 0000?

A : 00 00 0 T / T, 000, 000 000.

000 00, 00 00 000000 (DHL, FedEx, TNT UPS 0)0 000 0 0000.

Q : 3. 000 000 000 0000 00 000 00 0 0000?

A : 000 00000 00 000 00 0 0 00, 000 00 0 00 00.

Q : 4. 000 000 00 00 0 0000?