



Product Description



Packing & Delivery



Shipping Way

We have strong cooperation with DHL, FEDEX, TNT, UPS, EMS, Forwarder by SEA and By AIR You also can choose your own shipping forwarder.

Packaging

Magnetic Lock packaging: 1unit per box, 10pcs per carton,

Carton size : 26*26*10cm , Gross Weight :46kg. 50 cartons per pallet




- ACM Goldbridge 磁锁 20 毫米 磁锁.
- 磁锁 ACM 磁锁 磁锁 磁锁.
- 磁锁 磁锁 磁锁 磁锁 磁锁.




STANDARD INSTALLATION STEPS


Professional guidance, Rest assured



1 Fold the plate to 90° .




2 Close the door first, then place the upper side of template on door frame, while adjust the left side next to the door leaf.




3 Mark screw positions of armature plate and magnetic lock on door leaf and door frame respectively.




4 Drill holes based on the marked positions.




5 Make a combination based on the picture.



6 Strike the pin into the armature plate slightly (to avoid movement).




7 Make a combination based on the picture (add washer accordingly). The rubber ring must be added.




8 Place the rubber ring between armature plate and door leaf.




9 Use Allen key to remove the mounting plate from lock body.




10 Fix the mounting plate on the door frame according to the holes drilled earlier.




11 Use Allen key to screw the lock body on the mounting plate.




12 Close the door to test holding force. The angle between armature plate and magnetic lock can be adjusted by adding or reducing washers.




13 After all the appropriate procedures, the holding force can be maximized. Finally, fix the tamper screw.



Hollow Metal Door
Drill a hole
Inside: Diameter is 8mm
Outside: Diameter is 16mm



Wooden Door
Drill a hole
Inside: Diameter is 8mm
Outside: Diameter is 12.7mm



Metal Surface Door
6.8mm for M8-1.25thread
Inside: Drill a hole diameter is 8mm folding the plastic straight pin

Notice:

Thickness of Door Leaf:

350LBS: 44mm

600LBS: 50mm

800LBS: 48mm

1200LBS: 46mm

包裝 說明

包裝 說明

包裝 說明 說明 DHL, FEDEX, TNT, UPS, EMS, SEA 及 AIR 說明 說明 說明 說明 說明.

說明

說明 說明: 說明 1 說明, 說明 6 PC,

說明 說明: 35*30*20cm, 說明: 24kg. 說明 50 說明 說明



You may need



ACM-Y280N

□□□□□□ □□ □□□□ □□ □□(280kg / 600lbs)
□□□□ □□: □□ □, □□ □, □□ □, □□□ | □□□□ □□

ACM-Y180

□□□□ □□ □□ □□ □□(180kg / 300lbs) 2□□ □
□□ □□ □□ □□.

ACM-Y280

280kg(600lb) □□ □□ □□□□ □□ □□□ □□ □, □

□ □, □□ □, □□□□ □□□□.



ACM-Y280-L

280kg / 350kg □□□□ L □□□

ACM-Y180ZL

180kg / 300lbs □□ □□ □□□ ZL □□□

ACM-Y280-ZL

280Kg / 350Kg □□□□ ZL □□□

- 1, 我們 24 小時 服務 熱線。
- 2, 我們 提供 各種 規格, 價格 均 合理 且 品質 保證。
- 3, OEM/ODM 服務
- 4, 我們, fashin 品牌, 提供 各種 規格 產品, 價格 均 合理
- 5, 我們 提供 各種:
- 1) 各種 規格 產品 價格 均 合理 且 品質 保證。
- 2) 各種 規格 產品 價格 均 合理 且 品質 保證。
- 3) 各種 規格 產品 價格 均 合理 且 品質 保證 2-3 天 內 出貨。
- 6, 我們 提供 : 各種 規格 產品 1~5 天, 各種 規格 產品 7~30 天
- 7, 我們: 各種 規格 產品 價格 均 合理: T/T, 匯豐, Paypal.
- 8, 我們: 各種 DHL, FEDEX, TNT, UPS, EMS, SEA 及 AIR Forwarder 各種 規格 產品 價格 均 合理 且 品質 保證。

常見問題

Q: 1. 我們 提供 各種 規格?

A: 我們 提供 各種 規格 產品。 價格 均 合理 且 品質 保證 且 各種 規格 產品 價格 均 合理 且 品質 保證。

Q: 2. 我們 提供 各種 規格?

A: 我們 提供 T/T, 匯豐, 匯豐 銀行。

各種 規格, 各種 規格 產品(DHL, FedEx, TNT UPS 等) 價格 均 合理。

Q: 3. 我們 提供 各種 規格 產品 價格 均 合理?

A: 我們 提供 各種 規格 產品 價格 均 合理 且 品質 保證。

Q: 4. 我們 提供 各種 規格 產品 價格 均 合理?

A: 我們 提供 各種 規格。 各種 規格 5000 個 價格 3-7 天, 100,000 個 價格 7-15 天

Q: 5. 我們 提供 各種 規格 產品 價格 均 合理?

A: 我們, 我們, 我們 提供 各種 規格 產品 價格 均 合理 且 品質 保證。 OEM 價格 均 合理。

Q: 6. 我們 提供 各種 規格 產品 價格 均 合理?

我們 20 年 來 提供 各種 RFID 產品/NFC 產品/RFID keybods/RFID 產品, RFID 產品 價格 均 合理 且 品質 保證 且 各種 規格 產品 價格 均 合理。