


1. 產品名稱

2. 產品型號 : ACM-K3RG

產品尺寸	86Lx86Wx50H (mm)
安裝尺寸	86mm x 86mm
電壓	3A 36VDC
電流	3A \ NC \ COM
工作溫度	0 °C, 50 °C
儲存溫度	-10 °C ~ 55 °C (14 °F-131 °F)
濕度	0-95 % (非凝結)
重量	0.136kg
包裝尺寸	100mm





□□ □□□□ □□ □□ □□

□□ □□.
ACM-K3G

□□ / □□
100 □

□ □□
14.08KG

□□ □□
47x39x30cm



□□□ □□□ □ □□□□□

□□□ □□ □□□ □□ □□□□ □□□ □ □□□□. □□, □□□, □□ □□, □ □□□. □□□ □□□ □□□ □□ □□□ □□□□□□□. □□ □□□□ □□ □□□ □□ □□□ □□□□□□.



No touch Door Realese Exit □□

K2B : 86 * 86mm

No touch Door Release Exit

K9A : 115 * 40mm

NO / NC, (NO / NC) K5B :
86 * 86mm





□□ □□ □□, (□□, □□□□, NO), K4B : 86 *
86mm

□□□□□ □□□ □□ □□□ Kirsite. K14B : 86 *
86mm

□□□□□ □□□ PUSH □□ □□ □□; K815B : 86
* 86mm

- 1, 24 24
- 2, 24 24, 24 24.
- 3, OEM / ODM
- 4, fashin, 24 24, 24 24
- 5, 24 :
- 1), 24 24 24 24 24
- 2), 24 24 24 24
- 3), 24 24 24 24 24 2-3 24
- 6, 24 : 24 24 1 ~ 5, 24 24 7 ~ 30
- 7, 24 : 24 24 24 24 : T / T, Western Union, Paypal
- 8, 24 : 24 DHL, FEDEX, TNT, UPS, EMS, SEA 24 24 AIR 24 24 24 24 24 24 24 24.

100

[illegible]

A : ০০০০ ০০ ০০০ ০০০০০০. ০০ ০০ ০০০ ০ ০০ ০০০ ০০ ০০০০০০. ০০০ ০০০০ ০০০ ০ ০০ ০০০ ০০ ০ ০০০০.

