


NO / NC / COM 115x40mm 115x40mm 115x40mm

Model : **ACM-840D**

Size	115x40mm
Material	Aluminum alloy, Steel
Current	3A, 36VDC
Terminal	NO / NC / COM
Life	1000000 cycles
Temp. Range	-10 °C ~ 55 °C (14 °F-131 °F)
Humidity	0-95 % (Non-condensing)
Weight	0.14kg







□□□ □□□ □ □□□□

□□□ □□ □□□ □□ □□□□ □□□□. □□, □□□, □□ □□, □ □□□. □□□ □□□ □□□ □□ □□□□□□□□. □□ □□□□ □□ □□□ □□ □□□□□□.





No touch Door Release Exit □□

K2B : 86 * 86mm

No touch Door Release Exit □□

K9A : 115 * 40mm

□□ □□ □□, (□□□□ □□, NO / NC) K5B :
86 * 86mm





□□ □□ □□, (□□, □□□□, NO), K4B : 86 * 86mm

□□□□□ □□□ □□ □□□ Kirsite. K14B : 86 * 86mm

□□□□□ □□□ PUSH □□ □□ □□; K815B : 86 * 86mm

□□□ □□□

- 1, □□ □□□ 24 □□ □□□ □□□□□
- 2, □□ □□□□ □ □□ □□, □ □□□ □ □□ □□□□□□.
- 3, OEM / ODM □□
- 4, □□□, fashin □□□, □□□□□ □□□□□ □□, □□ □□ □□

5, 000 000 :

1), 00 000 0000 00 000 0000 00000000

2), 00 000 0000 00 0 00 0 0000

3), 000 00 000 000 000 00 0000 00 00 2-3 0 000 0000.

6, 00 00 : 00 000 0 1 ~ 5 0, 00 000 0 7 ~ 30 0

7, 00 : 000 00 000 00 0 0 0000 : T / T, Western Union, Paypal

8, 00 : 000 DHL, FEDEX, TNT, UPS, EMS, SEA 000 0 AIR 000 00 000 00 000 000 0000 000 00 0000.

00000 00

Q : 1. 000 000 0 0000?

A : 0000 00 000 000000. 00 00 000 0 00 000 00 000000. 000 0000 000 0 00 000 00 0 0000.

Q : 2. 00 0 000 00000?

A : T / T, Paypal, 00 00.

000 00, 00 00 000000 (DHL, FedEx, TNT UPS 0) 000 0 0000.

Q : 3. 000 0000 00 000 000 00 0 0000?

A : 000 000 00 0 00 00 0 00 000 0000 00 0 000000.

Q : 4. 000 00 000 00 0 0000?

A : 000 00 0000. 00000 5000 000 00 3-7 0, 100,000 000 00 7-15 0

Q : 5. 000 000 000 000 000 0 0 0000?

A : 00, 00, 00 0 000 0000 00 00 000 000 000000. OEM 000 000000.

Q : 6. 000 00 00000 000 00000?

000 20 0 00 0000 RFID 00 / NFC 00 / RFID 000 / RFID 00, RFID 00 0 000 00 000 00 0000 0 00000.