



No curling, no curling,
Reduce printhead wear

The cut surface is flat
and clean, showing
the quality



High directional
sensitivity


Even surface coating
No bubbles and pinholes





RFID UHF 000000 00 00

RFID 0000 00 00 00 0000 00000000 (0 : 00, 00, 00 0 00 00 00000000)00 00 0000 0000 00 000000. RFID 0000 0000 00 00000 0 00 0000 0000 00 0000 0000 0000 00000000. 0000 0000 0000 0000 00 0000 / 00 00, RFID 0000, 0000 00 00, 00 00, 0 00 0 0000 00 00000 0000 000000 00000000.





□□
□□ : □□ □ 1000pcs, 4 □□ □□ / □□
Ctn □□ : 46 * 46 * 16mm
Ctn □□□ : 8Kgs

- 4 roll/ carton:
dimension:46*46*16cm,weight:8kg



□□□ □□, □□ □□ □□□□□ (DHL, FedEx, TNT UPS □)□ □□□ □ □□□□.

Q : 3. □□□ □□□ □□□ □□□□ □□ □□□ □□ □ □□□□?

A : □□□ □□□□ □□ □□□ □□ □ □ □□, □□□ □□ □ □□ □□.

Q : 4. □□□ □□□ □□ □□ □ □□□□?

A : □□□ □□ □□□□□. □□□□□ 5000pcs□ □□ 3-7 □, 100,000pcs□ □□ 7-15 □

Q : 5. □□□ □□□ □□ □ □ □□□□?

A : □□, □□, □□ □ □□□ □□□□ □□ □□ □□□ □□□□□. OEM □□□ □□ □□□□□.

Q : 6. □□□ □□ □□□□□ □□ □□□□□?

□□□ 20 □ □□ □□□□□ RFID □□ / NFC □□ / RFID □□□ / RFID □□, RFID □□ □ □□□ □□ □□□ □□ □ □□□□ □ □□□□□.