



600LBS 280KG 304 316 304L 316L 304Ti 316Ti 304V 316V 304H 316H 304S 316S 304N 316N 304F 316F 304R 316R 304C 316C 304M 316M 304A 316A 304B 316B 304D 316D 304E 316E 304F 316F 304G 316G 304H 316H 304I 316I 304J 316J 304K 316K 304L 316L 304M 316M 304N 316N 304O 316O 304P 316P 304Q 316Q 304R 316R 304S 316S 304T 316T 304U 316U 304V 316V 304W 316W 304X 316X 304Y 316Y 304Z 316Z
(LED)

304 316 304L 316L 304Ti 316Ti 304V 316V 304H 316H 304S 316S 304N 316N 304F 316F 304R 316R 304C 316C 304M 316M 304A 316A 304B 316B 304D 316D 304E 316E 304F 316F 304G 316G 304H 316H 304I 316I 304J 316J 304K 316K 304L 316L 304M 316M 304N 316N 304O 316O 304P 316P 304Q 316Q 304R 316R 304S 316S 304T 316T 304U 316U 304V 316V 304W 316W 304X 316X 304Y 316Y 304Z 316Z

2
2
4
L
x
4
W
4
5
H
(
m
m
)

1 9 L x 1 9 4 5 W x 1 i H (m m) 2 8 k g 6 . 0 1 2 / 2 4 v b e . 0 0 0

[illegible]

$\frac{V}{2} = \frac{V_D}{C}$

Advanatge

- 280kg, 600pounds.
- 12 VDC (24 VDC).
- 12VDC.
- MOV.
- , , , .
- LED .
- (NO / NC / COM)
- (NO / NC / COM)
- .
- , .
- .
- .
- CE , MA


OEM / ODM





በዚህ ስርዓት ላይ የተጠቀሱት LED ስጦታ, የተጠቀሱት የጥሬ ጥቅም, የጥሬ ጥቅም ስጦታ . በዚህ ስርዓት ላይ የተጠቀሱት.

ACM-Y280N የጥሬ ጥቅም ስጦታ. PCB የጥሬ ጥቅም ስጦታ ስጦታ. 12V ስጦታ 24V ስጦታ 7 ስጦታ የጥሬ ጥቅም ስጦታ ስጦታ. በዚህ ስርዓት ላይ የተጠቀሱት. የጥሬ ጥቅም ስጦታ የጥሬ ጥቅም ስጦታ ስጦታ. የጥሬ ጥቅም ስጦታ የጥሬ ጥቅም ስጦታ ስጦታ.




የጥሬ ጥቅም ስጦታ


- በዚህ ስርዓት ላይ የተጠቀሱት, ACM Goldbridge የጥሬ ጥቅም ስጦታ 2 ስጦታ ስጦታ.
- በዚህ ስርዓት ላይ የተጠቀሱት, ACM Goldbridge የጥሬ ጥቅም ስጦታ.
- በዚህ ስርዓት ላይ የተጠቀሱት, የጥሬ ጥቅም ስጦታ ስጦታ.

STANDARD INSTALLATION STEPS


Professional guidance, Rest assured



1 Fold the plate to 90° .




2 Close the door first, then place the upper side of template on door frame, while adjust the left side next to the door leaf.




3 Mark screw positions of armature plate and magnetic lock on door leaf and door frame respectively.




4 Drill holes based on the marked positions.




5 Make a combination based on the picture.



6 Strike the pin into the armature plate slightly (to avoid movement).




7 Make a combination based on the picture (add washer accordingly). The rubber ring must be added.




8 Place the rubber ring between armature plate and door leaf.




9 Use Allen key to remove the mounting plate from lock body.




10 Fix the mounting plate on the door frame according to the holes drilled earlier.




11 Use Allen key to screw the lock body on the mounting plate.




12 Close the door to test holding force. The angle between armature plate and magnetic lock can be adjusted by adding or reducing washers.




13 After all the appropriate procedures, the holding force can be maximized. Finally, fix the tamper screw.



Hollow Metal Door
Drill a hole
Inside: Diameter is 8mm
Outside: Diameter is 16mm



Wooden Door
Drill a hole
Inside: Diameter is 8mm
Outside: Diameter is 12.7mm



Metal Surface Door
Inside: Drill a hole
diameter is 8mm folding
the plastic straight pin

Notice:

Thickness of Door Leaf:

350LBS: 44mm

600LBS: 50mm

800LBS: 48mm

1200LBS: 46mm

□□ □ □□

□□ □□

DHL, FEDEX, TNT, UPS, EMS, SEA □ By AIR Forwarders□ □□□ □□□□ □□ □□□□.

□□□

□□ □□□□ □□ : □□ □ 1 □ □□, □□ □ 10 □ □□,

□□ □□ : 35 * 30 * 16 cm, □□□ : 24kg. □□□ □ 50 □□ □□



You may need



ACM-Y280N

280kgs / 600lbs 280kgs : 280kgs
 280kgs, 280kgs, 280kgs, 280kgs | 280kgs

ACM-Y180

180kg / 300lbs 2Bolts Fail safe. 180kg : 180kg, 180kg, 180kg.

ACM-Y280

280kg (600lbs) □□ □□ □□ □□ : □□□□
□ □, □□ □, □□ □, □□□ □.



ACM-Y280-L

280kg / 350kg □□ □□ □□ □ L □□□

ACM-Y180ZL

180kg / 300lbs □□□□ □□ □□ □ ZL □□□

ACM-Y280-ZL

280Kg / 350Kg □□□□ □□ □ ZL □□□

FAQ

- 1, 我們提供 24 小時技術支持
- 2, 我們提供 1 年保用, 1 年內免費維修。
- 3, 我們提供 OEM / ODM
- 4, 我們提供 fashion desing, 我們提供 1 年保用, 我們提供 1 年保用
- 5, 我們提供 1 年保用 :
- 1), 我們提供 1 年保用, 我們提供 1 年保用。
- 2), 我們提供 1 年保用, 我們提供 1 年保用。
- 3), 我們提供 1 年保用, 我們提供 1 年保用。
- 6, 我們提供 : 我們提供 1 ~ 5 年, 我們提供 7 ~ 30 年
- 7, 我們提供 : T / T, Western Union, Paypal 我們提供 1 年保用。
- 8, 我們提供 : DHL, FEDEX, TNT, UPS, EMS, SEA 我們提供 1 年保用。

FAQ

Q : 1. 我們提供 1 年保用?

A : 我們提供 1 年保用, 我們提供 1 年保用, 我們提供 1 年保用。

Q : 2. 我們提供 1 年保用?

A : 我們提供 1 年保用, 我們提供 1 年保用。

我們提供 1 年保用 (DHL, FedEx, TNT UPS 我們提供 1 年保用)。

Q : 3. 我們提供 1 年保用?

A : 我們提供 1 年保用, 我們提供 1 年保用。

Q : 4. 我們提供 1 年保用?

A : 我們提供 1 年保用。我們提供 5000pcs 我們 3-7 年, 100,000pcs 我們 7-15 年

Q : 5. 我們提供 1 年保用?

A : 我們提供 1 年保用, 我們提供 1 年保用。OEM 我們提供 1 年保用。

Q : 6. 我們提供 1 年保用?

我們提供 20 年保用 RFID 我們 / NFC 我們 / RFID 我們 / RFID 我們, RFID 我們 1 年保用 我們 1 年保用 我們 1 年保用。