

□□□□□□ □□□ □□ □□ □□ □□ □□ □□ **AC ~**
DC 12V 24V

3A □□ □□ □□ □□

□□□ □□ □□ □ □□ □□ □□□ □□□□ □□□□.

[illegible]

□□ □□□ □□□□□ □□□□□□.

□ □ □ □ □ □ 2 3 * 1 6 3 * 7 2 m m · □ □ ~~5~~ 5 m v ·

A
C
2
2
V
.
B
H
Z
□
□
D
C
1
2
V
.
1
A
7
B
A
7
B
A
)□
H
□
1
%
B
H
□
1
5
%
□
□
□
□
1
%
B
1
B
.
□


[illegible]



- 1 : COM 點 點, 點點點點 點 點, 點 點點 點 DC12V, 點點 點 點 點 (0-15 點 點, 點, 3 點 點);
- 2 : NC 點點 點 COM 點點, 點點點點 點 點 DC12V, 點 點點 點點 點, 點 點 點 點, 點 點 (0-15 點 點, 2 點, 3 點);
- 3 : DC12V 點 點 點, 4 點, 5 點點;
- 4 : 點點 點 (點點 點, 點) 點 點 點 點點 點 點點點 點點 點 點點 點點 點 (點點 點, 點) 點 點點點 點 點.
- 5 : 點點 點 (點點 點, 點 點) 點, 點點 點點 點 點點點 點點 點 點點 點點 點 (點點 點, 點 點) 點 點點;
- 6 : 點 點 點 點 點點 點點 點 點 點 點 12V 點 點 點

POSITIVE

BACK



Scope of Application



Company



Hospital



Hotels



Logistics



Port



Financial



Government





Factory



Aviation




School



Kindly remind:

All network control board must configure with access power supply.
1 board for 1 power supply



ACM-WEG04

Four doors 1 way: Control 4doors (Enter by Swipe cards and Exit by Push button)

00 000 000 000 00 0 000 000 00 000000.
 00 000 000 000 000 00 00000 000000.
 0000 000 0 00 00 0000 00 0 00000.




00 00 (00 00 00)

0000 2000 0000 0000 RFID 0000 0000 0 00 0 000000.
 0000 00 00 0000 00 00 0000 0 00 0000, 0000 00 00
 00 00 / 0000 0000 0000 0000 00 0 00 00000. 0000
 0000 CO, FTA, 00 F, Form E ... ECT 00 0000 00
 0 0000 0000 0000 00 0 0 00000. 0000 0000 0000
 00 00000 0000 000000. EXW, FOB, FCT, CIF, CFR
 ... 00 0000 0000 00 000000. 0000 00 0 000000 0000
 0000 00000 0 0 00000.


000000 0000 00000 3 0 00 00 0000 000000 !!!

0000 20 0 0000 00 00000 0000 0 00 0000 00 00 00 00, 0000 0000 00 0000 00000 0000 000000 00000000! 0000 00 0000 000000
 0. 00000 "0000" 00!
 0000 0000 0 0000 0000 0000 000000 00000 000000 000000 000000.




ACM-WEG01.

□□□ 1 □□□ □□ □ □□□□.



ACM-WEG02.

□□□ 2 □□ □□ □□ □ □□□□.



ACM-WEG04.

□□□ 4 □□ □□ □□ □ □□□□.

You May Like



ACM-K2A / B.

□□ □□ □□ LED□□□□ □□ □□ □□



ACM-Y280.

□□ □□ □□□ (280kg / 600lbs)



ACM-Y806-5A.

□□□□ □□□□□□ □□ □□ □□ 5A



ACM225.

RFID 12KHz.



ACM-210.

RFID Wiegand



ACM26X.

125KHz EM RFID : 115mm × 75.5mm × 16.8mm



ACM-EMI-S.

125KHz TK4100 □ RFID □□ □□



ACM-Sticker.

RFID □□□, 125kHz, 13.56MHz □
860-960MHz




ACM-WBT-EM.

□□ □□ 125kHz 13.56MHz 1k □□



ACM Shenzhen Goldbridge □□ □□

□□□ RFID □□□ □□ □□ □□ □□□□, □□□ □□ 20 □ □□□ □□□□□□□□. □□□ RFID □□□ □□□ □□ □□ □□□ □□□□. □□□ □□ □□□ RFID □□, RFID □□□, RFID □□□□, RFID □□□ □□□ RFID □□□□□□. □□□ □□ □□□ □□ □□□ □□ □□□□□□□□.



我們 服務

我們 服務 內容 如下。

1. Any 樣式 均 可 承接 24 小時 服務
2. 樣式 修改 或 樣式 變更, 均 可 承接 或 承接 樣式 修改 或 承接 樣式 修改
3. OEM / ODM 樣式
4. 樣式, fashion desing, 樣式 修改, 樣式 修改
5. 樣式 修改 :
- A : 樣式 修改 樣式 修改 樣式 修改 樣式 修改
- B : 樣式 修改 樣式 修改 樣式 修改
- C : 樣式 修改 樣式 修改 樣式 修改 2-3 天 樣式 2 ~ 3 天 樣式
6. 樣式 修改 : 樣式 修改 樣式 1 ~ 5 天, 樣式 修改 樣式 7 ~ 30 天
7. 樣式 : T / T, Western Union, Paypal, Ali Trade Assurance 樣式 樣式 樣式 樣式 樣式
8. 樣式: 樣式 DHL, 樣式, TNT, UPS, EMS, 樣式 樣式 樣式 樣式 樣式 樣式 樣式 樣式

我們 服務

1. 樣式 樣式 樣式 樣式 ACM Goldbridge 樣式 樣式 樣式 2 天 樣式 樣式
2. 樣式 ACM Goldbridge 樣式 樣式 樣式 樣式
3. 樣式 樣式 樣式 樣式 樣式