



0000 00 00 00 00 00 00 00 00 00 00

00 0 0000 00 00000 000000 000000 0000 00 00 0 0 00000. 0000 410 (mm)
DIA

00 00 :

- 0
- 0
- 0
- 0
- 0
- 0



 Hole diameter: 41 mm

 Material thickness: 1 mm

 Hole diameter: 8 mm

 Material

 thickened





□□ & □□

□□□ PC □ □
 □□□ □□ 50 □
 □□□ □□ : 0.4 kg
 □□ : 52cm x 51cm x 32cm



□□ □□

□□□ □□ □□ □□□□ □□□ □ □□□□. □□□□ □□, □□ □, □ □□□. □□□□ □□□ □□□ □□□□□□□□. □□ □□□□ □□□□ □□□ □□□□□□□□.



ACM-402

[illegible]



1. 115 * 40mm
 2. 280 kg / 600 lb
 3. LED
 4. EM
 5. Real Touch
 6. Exit
 7. K2A : 115 * 40mm

1. 115 * 40mm

- 1st 115 * 40mm 24 115 * 40mm 115 * 40mm.
- 2, 115 * 40mm 115 * 40mm, 115 * 40mm 115 * 40mm 115 * 40mm 115 * 40mm
- 3 OEM / ODM 115 * 40mm
- 4, 115 * 40mm, fashin desing, reasonable & 115 * 40mm 115 * 40mm, 115 * 40mm 115 * 40mm
- 5, 115 * 40mm :
- 1), 115 * 40mm 115 * 40mm 115 * 40mm 115 * 40mm
- 2), 115 * 40mm 115 * 40mm 115 * 40mm.
- 3), 115 * 40mm 115 * 40mm 115 * 40mm 115 * 40mm 115 * 40mm 2 ~ 3 115 * 40mm 115 * 40mm
- 6, 115 * 40mm : 115 * 40mm 1 ~ 5 115 * 40mm, 115 * 40mm 7 ~ 30 115 * 40mm
- 7, 115 * 40mm : 115 * 40mm 115 * 40mm 115 * 40mm : T / T, Western Union, Paypal.
- 8, 115 * 40mm : DHL, FEDEX, TNT, UPS, EMS, SEA 115 * 40mm AIR 115 * 40mm 115 * 40mm 115 * 40mm 115 * 40mm 115 * 40mm 115 * 40mm 115 * 40mm.

2. 115 * 40mm

- Q : 1. 115 * 40mm 115 * 40mm?**
 A : 115 * 40mm 115 * 40mm 115 * 40mm. 115 * 40mm 115 * 40mm 115 * 40mm 115 * 40mm, 115 * 40mm 115 * 40mm 115 * 40mm 115 * 40mm.
- Q : 2. 115 * 40mm 115 * 40mm?**
 A : 115 * 40mm 115 * 40mm T / T, Paypal, Western Union.
 115 * 40mm, 115 * 40mm (DHL, FedEx, TNT UPS)115 * 40mm 115 * 40mm.
- Q : 3. 115 * 40mm 115 * 40mm 115 * 40mm 115 * 40mm?**

