

A
C
:
2
2
V
,




2
4
V
,
1
2
V
3









(

. 



) 
-




5
-
4




5

2 K H ☐ Z ☒ 1 ☐ 7 ☐ K H z ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ 2 ☐ ☐ ☐ 1 1 1 x ☒ ☒ 1 m m

```

00:
00 00 00 00
00 0000 0000 00
00 00 00 00 0000 0000
00 0000 0000 0000 00 000000
0000 0000 00000 0000 00 00
00 0000
00 00000 00 00 00
00 00 00 00 00

```



በዚህ ሰነድ ውስጥ የተገለጹት ስርዓቶች የተገለጹት ስርዓቶች ናቸው፡፡ በዚህ ሰነድ ውስጥ የተገለጹት ስርዓቶች የተገለጹት ስርዓቶች ናቸው፡፡ በዚህ ሰነድ ውስጥ የተገለጹት ስርዓቶች የተገለጹት ስርዓቶች ናቸው፡፡ በዚህ ሰነድ ውስጥ የተገለጹት ስርዓቶች የተገለጹት ስርዓቶች ናቸው፡፡

ACM703 በዚህ ሰነድ ውስጥ የተገለጹት ስርዓቶች የተገለጹት ስርዓቶች ናቸው፡፡ በዚህ ሰነድ ውስጥ የተገለጹት ስርዓቶች የተገለጹት ስርዓቶች ናቸው፡፡ በዚህ ሰነድ ውስጥ የተገለጹት ስርዓቶች የተገለጹት ስርዓቶች ናቸው፡፡ በዚህ ሰነድ ውስጥ የተገለጹት ስርዓቶች የተገለጹት ስርዓቶች ናቸው፡፡




Single channel / dual channel vehicle loop
detector with automatic barrier gates used for
Vehicle access control



■ Install Detector


The loop detectors must only be placed in dry rooms or control cabinets that are protected against all types of moisture and wetness. A distance of at least 10 mm from other devices must be maintained on each side. The ambient temperature must not exceed 65° C. The installation of the induction loop is described in other operating instructions.

■ Wiring Diagram



■ Operation and Indication

When the power is applied, the red Power LED will glow and the detector is tuning, the green Check LED blink about 3 seconds. The green LED will also glow whenever a vehicle is detected passing over the inductive loop. If a loop fault exists the green LED will come on and flash indicating a fault.



□□ & □□

00 00 000 000 000 000 00 0 000 000 00 000000.
 00 000 0000 000 000 00 00000 00 0 0000.
 000 0 00 00 000 00 0 0000.



□□ □□ (□□ □□ □□ □)

[illegible]

這 是 我 們 的 工 廠。 我 們 是 一 家 專 門 研 究 和 開 發 電 子 產 品 的 公 司。

3 月 15 日 我 們 將 舉 行 一 場 重 大 的 宣 佈 會 !!!

我 們 20 年 來 一 直 在 研 究 和 開 發 電 子 產 品， 現 在 我 們 已 經 研 究 出 了 一 種 新 型 的 電 子 產 品， 這 種 產 品 將 會 改 變 我 們 的 生 活 方 式！ 我 們 將 在 3 月 15 日 舉 行 宣 佈 會。 "宣 佈 會" 嗎！
我 們 將 在 宣 佈 會 上 展 出 我 們 研 究 出 的 新 型 電 子 產 品， 我 們 將 會 告 訴 大 家 這 種 產 品 的 功 能 和 價 值。



電 子 產 品

我 們 研 究 出 了 一 種 新 型 的 電 子 產 品， 這 種 產 品 將 會 改 變 我 們 的 生 活 方 式。 我 們 將 在 3 月 15 日 舉 行 宣 佈 會。 我 們 將 展 出 我 們 研 究 出 的 新 型 電 子 產 品， 我 們 將 會 告 訴 大 家 這 種 產 品 的 功 能 和 價 值。 我 們 將 在 宣 佈 會 上 展 出 我 們 研 究 出 的 新 型 電 子 產 品， 我 們 將 會 告 訴 大 家 這 種 產 品 的 功 能 和 價 值。





ACM812A
2-5m 2D UHF 2D
Wiegand 26 2D, RS232 / 485

ACM818A
10-20m 2D UHF 2D
Wiegand 26 2D, RS232 / 485

ACM802A
8-10m 2D UHF 2D
Wiegand 26 2D, RS232 / 485





ACM801A
10-15m UHF 雙頻
Wiegand 26 雙頻, RS232 / 485

ACM 8017
UHF 雙頻 雙頻 雙頻
UHF + WIFI + GRPS

ACM 918K
UHF 4- 雙頻 雙頻 雙頻 雙頻

雙頻 雙頻

- 1, 雙頻 雙頻 雙頻 雙頻. 24 雙頻
- 2, 雙頻 雙頻 雙頻 雙頻, 雙頻 雙頻 雙頻 雙頻 雙頻 雙頻 雙頻 雙頻
雙頻, OEM / ODM 雙頻
- 雙頻 4 雙頻, 雙頻, fashin desing, reasonable & 雙頻 雙頻, 雙頻 雙頻
- 雙頻 5 雙頻, 雙頻 雙頻 :
- 1), 雙頻 雙頻 雙頻 雙頻 雙頻 雙頻 雙頻.
- 2), 雙頻 雙頻 雙頻 雙頻 雙頻.
- 3), 雙頻 雙頻 雙頻 雙頻 2-3 雙頻 雙頻 雙頻 雙頻 雙頻 雙頻
- 雙頻 6 雙頻, 雙頻 雙頻 : 雙頻 雙頻 雙頻 1 ~ 5 雙頻, 雙頻 雙頻 雙頻 7 ~ 30 雙頻
- 7, 雙頻 : 雙頻 雙頻 雙頻 雙頻 雙頻 雙頻 : T / T, 雙頻 雙頻, 雙頻

雙頻 雙頻

Q : 1. 雙頻 雙頻 雙頻 雙頻?

A : 雙頻 雙頻 雙頻 雙頻 雙頻 雙頻. 雙頻 雙頻 雙頻 雙頻 雙頻 雙頻 雙頻 雙頻.

Q : 2. 雙頻 雙頻 雙頻 雙頻?

A : T / T, Paypal, Western Union.

雙頻 雙頻, 雙頻 雙頻 雙頻 (DHL, FedEx, TNT UPS 雙頻) 雙頻 雙頻.

雙頻 : 3. 雙頻 雙頻 雙頻 雙頻 雙頻 雙頻?

A : 雙頻 雙頻 雙頻 雙頻 雙頻 雙頻, 雙頻 雙頻 雙頻 雙頻 雙頻.

Q : 4. 雙頻 雙頻 雙頻 雙頻 雙頻?

A : 雙頻 雙頻 雙頻. 雙頻 雙頻 5000pcs 雙頻 3-7 雙頻, 100,000pcs 雙頻 7-15 雙頻

雙頻 : 5. 雙頻 雙頻 雙頻 雙頻 雙頻?

A : 雙頻, 雙頻, 雙頻 雙頻 雙頻 雙頻 雙頻 雙頻. OEM 雙頻 雙頻 雙頻.

Q : 6. 雙頻 雙頻 雙頻 雙頻 雙頻?

雙頻 20 雙頻 雙頻 RFID 雙頻 / NFC 雙頻 / RFID keybod / RFID 雙頻, rfid 雙頻 雙頻 雙頻 雙頻 雙頻 雙頻 雙頻 雙頻.

