



ACM SDK 10 -20 UHF rfid 12dbi

- 1, ISO18000-6C (EPC C1G2) , ISO18000-6B
- 2, ISO-18000B, EPC
- 3, () : 5M-10M
- 4, ACM
- 5, : Wiegand 26, rs232 / 485, TCP / IP

UHF





Wiring Diagram of RFID UHF reader and writer

Power	GND	485+	485-	WG D0	WG D1	Trigger T+	Trigger T-	RXD	TXD	Ground
red	black	brown	orange	Yellow	grey	Rose red	black	purple	white	black



RFID UHF 00 0 000 00

00 UHF RFID 000 000 000 000 860-960 00 000 uhf 00 000 00 000 00000 usb 00 rfid 00

- 1, 00 00
- 2, 00 00
- 0, 00 000 00 000
- 4, 000 00 00
- 5, 00 00
- 6, 000 00
- 7, 00 00 00

EPC_Demo

Work Mode | Reader Parameter

Port Setting

Port: COM1

Baud Rate: 9600

Connect DisConnect

Refresh Data

Parameter Setting

Function Display

Clear Record

Workmode Select

M-S Timer Triggering

Adjacent discrimination

ID Adjacent discriminatio

Time: 10 *1S

Timer Parameter

Time Intervals: 15 *10ms

Triggering Parameter

Triggering: HIGH electri

Automatically shutdown: 10 S

Defa-Para Read-Para Set-Para

Port Setting

Connect Port: RS485

RS-232 Parameter

Baud Rate: 9600bps

RS-485 Parameter

Baud Rate: 9600bps

Wiegand Parameter

Wiegand Mode: Wiegand26

Pulse Width: 9 *10us

Pulse Cycle: 12 *100us

User Code

User Code: 0

Operation Record:

Time	Operation Result
15:59:34	Open port Success!
15:59:34	Reader Software Version is V1.53!

UHF LONG RANGE READERS RFID



15 Meters Range UHF

Model: UHF 5000
 - UHF Long Range Reader
 - 15 Meters Range
 - ETC Reader in Toll Plaza Application
 - TCP/IP, Serial, USB, WiFi



Tags



UHF CARDS

PIONEER SYSTEMS

BOOM BARRIER WITH RFID UHF READER



Goldbridge IOT RFID 1D 2D 3D, rfid 1D 2D 3D, UHF 1D 2D 3D, UHF R2000 1D 2D, UHF OEM 1D, RFID 1D 2D 3D, uhf rfid 1D, 2.4G rfid 1D, EM 125KHZ 1D 2D, RFID 1D 2D 3D, FCC, CE, ROHS.

Raleded Long distance range RFID Reader & Tags

		
ACM-812A -8dBi 2-6 meter , 235x235x57mm	ACM-803A -9dbi 6-10 meters,260X260X45mm	ACM-811A-8dBi Multi-tag Reader, 6-9 meters, 255x255x45MM
		
ACM217-UHF UHF Reader and Writer - Provide Free program and SDK	ACM919L 4 Ports UHF Reader Impinj R2000 ,270mm*180mm*27mm	ACM-819A-12dBi Multi-tag Reader, 10-20 meters, 460x460x55MM
		
ACM8017 UHF Handheld Reader UHF +WIFI+GRPS Quad Band+Barcode 1D/2D	ACM09G-TCP/IP Or Wiegand Active 2.4G Reader 30-70meter, Provide FREE SDK and Demo	ACM08Y RFID EM 125Khz 70cm-1meter Middle long range Reader
		
ACM-MU85M One Antenna Port Module- 30dbm adjustable 0-15m used for handheld reader. ,55.5x39.5x7.6mm	ACM-MU82M 4 Antennas Ports Module 4ports 25m speed anti-collision impinj R2000 67.5mmx51mmx7.9mm	ACM-MU13M One Port Module Korea certificate 0-15m Size: 8x25x3.5mm
		
UHF Anti-metal Tag, ACM-UHF-M3: 135x22x12mm ±2mm	Anti-tamper windshield sticker tag (ACM-S001)	UHF ISO PVC Card Tag , 86x54mm (ACM-UHF Card)

About Us

Similar Products



GOLDBRIDGE

SHENZHEN GOLDBRIDGE INDUSTRIAL CO.,LTD

ACM Shenzhen Goldbridge industrial company



As a one of leading exporter and manufacturer of RFID products in China , . We have been in this field for 17 years already . We have rich production and exportation experience on RFID products . Our strength products are : RFID card , RFID keyfob , RFID wristband , RFID tag and various RFID reader . We are also the access control solution provider .

FACTORY PHOTOS



Our Certificate

