



### NFC Tag/Sticker/Label

- ★ Mobile Payment
- ★ Identification
- ★ Loyalty & Membership Management
- ★ Small Information Stored & Exchange
- ★ Social Interactive

[Read More>>](#)



RFID 125kHz RFID 125kHz RFID 125kHz RFID 125kHz RFID 125kHz RFID 125kHz

RFID:

- 1 : RFID 125kHz micro RFID 10mm, 8.7mm, 5\*5mm RFID 125kHz.
- 2 : RFID 125kHz RFID 125kHz RFID 125kHz RFID 125kHz RFID 125kHz.
- 3 : RFID 125kHz, RFID 125kHz PVC RFID 125kHz, RFID 125kHz
- 4 : RFID 4C RFID 125kHz RFID 125kHz, RFID 125kHz RFID 125kHz RFID 125kHz.
- 5 : RFID 125kHz RFID 125kHz RFID 125kHz
- 6 : RFID 125kHz RFID 125kHz RFID 125kHz
- 7 : PC RFID 125kHz RFID 125kHz



NEC 215 RFI D3 m PVC, ABS

D  
D  
D  
D  
D  
C  
M  
Y  
K  
D  
D  
D  
D  
D

0000 (Serial No & Chip UID), QR, 0000 Chip 0000 0000 0000 0000 (URL, 0000, 0000 V CARD) 0000, 0000 0000 0000

□ □ 2 5 m m , 3 m m , 3 5 m m , 4 m m , 5 m m S t o c k e M o l d □ , □ . 5 - . 9 m m □ □ □ , □ □ □ □ □ □ □ □ □ □

RFID □ □□ □□□

| Chip type                                                                                       | Protocol  | Capacity | Anti collision | Function   |
|-------------------------------------------------------------------------------------------------|-----------|----------|----------------|------------|
| NTAG® 213                                                                                       | ISO14443A | 180 Byte | NO             | Read/write |
| NTAG® 215                                                                                       |           | 540 Byte | NO             |            |
| NTAG® 216                                                                                       |           | 924 Byte | NO             |            |
| NTAG® are registered trademarks of NXP B.V. and are used under license.                         |           |          |                |            |
|                                                                                                 |           |          |                |            |
| MIFARE Classic® 1K                                                                              | ISO14443A | 1KB      | NO             | Read/write |
| MIFARE Classic® 4K                                                                              |           | 4KB      | NO             |            |
| MIFARE Ultralight® EV1                                                                          |           | 640 Bit  | NO             |            |
| MIFARE Ultralight® C                                                                            |           | 1184 Bit | NO             |            |
| MIFARE and MIFARE Classic® are registered trademarks of NXP B.V. and are used under license.    |           |          |                |            |
| MIFARE and MIFARE Ultralight® are registered trademarks of NXP B.V. and are used under license. |           |          |                |            |
|                                                                                                 |           |          |                |            |
| MIFARE Plus® 1K                                                                                 | ISO14443A | 1KB      | NO             | Read/write |
| MIFARE Plus® 2K                                                                                 |           | 2KB      | NO             |            |
| MIFARE Plus® 4K                                                                                 |           | 4KB      | NO             |            |
| MIFARE and MIFARE Plus® are registered trademarks of NXP B.V. and are used under license.       |           |          |                |            |
|                                                                                                 |           |          |                |            |
| MIFARE® DESfire® EV1 2K                                                                         | ISO14443A | 2KB      | NO             | Read/write |
| MIFARE® DESfire® EV1 4K                                                                         |           | 4KB      | NO             |            |
| MIFARE® DESfire® EV1 8K                                                                         |           | 8KB      | NO             |            |
| MIFARE® DESFire® are registered trademarks of NXP B.V. and are used under license.              |           |          |                |            |
|                                                                                                 |           |          |                |            |
| ICODE® SLIX                                                                                     | ISO15693  | 1KB      | Yes            | Read/write |
| ICODE® SLIX-S                                                                                   |           | 2KB      | Yes            |            |
| ICODE® SLIX-L                                                                                   |           | 512 Bits | Yes            |            |
| ICODE® SLIX-M                                                                                   |           | 1KB      | Yes            |            |
| ICODE® are registered trademarks of NXP B.V. and are used under license.                        |           |          |                |            |

|                                                                                    |                                                                                    |                                                                                    |                                                                                     |                                                                                      |
|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
|   |   |   |   |   |
| Dia.15/18                                                                          | Dia.20/25/30                                                                       | Dia.35/40/50                                                                       | 30 × 30<br>40 × 40                                                                  | 45 × 45<br>50 × 50                                                                   |
| 0.5g                                                                               | 0.8g                                                                               | 2.5g                                                                               | 1.5g                                                                                | 2.0g                                                                                 |
| PVC/PET                                                                            | PVC/PET                                                                            | PVC/PET                                                                            | PVC/PET                                                                             | PVC/PET                                                                              |
| LF/HF                                                                              | LF/HF                                                                              | LF/HF/UHF                                                                          | LF/HF/UHF                                                                           | LF/HF/UHF                                                                            |
|  |  |  |  |  |
| 40 × 30<br>45 × 22                                                                 | 54 × 27<br>65 × 25                                                                 | Dia.30(Outer)<br>Dia.5 (Inner)                                                     | Dia.35(Outer)<br>Dia.14 (Inner)                                                     | Dia.70(Outer)<br>Dia.50 (Inner)                                                      |
| 2.5g                                                                               | 2.5g                                                                               | 2.5g                                                                               | 2.5g                                                                                | 2.5g                                                                                 |
| PVC/PET                                                                            | PVC/PET                                                                            | PVC/PET                                                                            | PVC/PET                                                                             | PVC/PET                                                                              |
| LF/HF/UHF                                                                          | LF/HF                                                                              | LF/HF                                                                              | LF/HF                                                                               | LF/HF                                                                                |

## PRODUCT DISPLAY



## PRODUCT DISPLAY



## PRODUCT DISPLAY





# APPLICATIONS



## OPENGED OR NOT

NFC helps you to find out  
More information  
Sourcing

## Cashless Pay

One Mobile phone  
One World  
Easy Pay & Modern Life  
High Security




## DATA Exchanging

Easy & Fast  
Exchanging personal info  
No need business card

## Social Media

Launching your App  
Connecting the world  
Sharing with friend  
Cool, funny and convenient





# ACM-EMI-S

125kHz TK4100 RFID 模块 模块

## ACMM-MF1

13.56MHz MF1K 1Kbit F08 RFID 1Kbit

## ACM inlay

125kHz, 13.56MHz, 860-960MHz □□  
□□□



## ACM-S001-UHF

UHF 860-960MHz Windshiled

## ACM-UHF-P

860-960MHz Windshiled

## ACM-NFC

NFC 13.56MHz

1, 24

2, 我們 歡迎 到 貴 公司, 到 貴公司 參觀 我們 **Factory** 工廠。

3, **OEM/ODM** 我們 歡迎

4, 我們, 我們 公司, 我們 有 專業 團隊, 我們 公司 專業

5, 我們 公司 專業 :

1) 我們 公司 專業 團隊 專業 團隊 專業 團隊 專業。

2) 我們 公司 專業 團隊 專業 團隊。

3) 我們 公司 專業 團隊 專業 團隊 專業 2-3 年 專業 團隊。

6, 我們 公司 專業 : 我們 公司 專業 1 ~ 5 年, 我們 公司 專業 7 ~ 30 年

7, 我們 : **T/T, Western Union, PayPal, Ali Trade Assurance** 我們 公司 專業 團隊 專業 團隊。

8, 我們 : 我們 **DHL, FedEx, TNT, UPS, EMS, SEA** 我們 **AIR** 我們 公司 專業 團隊 專業 團隊, 我們 公司 專業 團隊 專業 團隊。

我們 公司 :

**ACM Goldbridge** 我們 公司 專業 團隊 專業 團隊 專業 團隊 專業 團隊 專業 團隊。 **ACM Goldbridge** 我們 公司 專業 團隊 2 年 專業 團隊。

我們 **ACM Goldbridge** 我們 公司 專業 團隊 專業 團隊。

我們 公司 專業 團隊 專業 團隊。

## FAQ

**Q : 1. 我們 公司 專業 團隊?**

**A :** 我們 公司 專業 團隊 專業 團隊 專業 團隊。 我們 公司 專業 團隊 專業 團隊 專業 團隊 專業 團隊。 我們 公司 專業 團隊 專業 團隊 專業 團隊。

**Q : 2. 我們 公司 專業 團隊?**

**A :** 我們 公司 專業 **T/T, PayPal, Western Union.**

我們 **SEA, Air** 我們 **Express (DHL, FedEx, TNT UPS)** 我們 公司 專業 團隊。

**Q : 3. 我們 公司 專業 團隊 專業 團隊 專業 團隊?**

**A :** **Wec** 我們 公司 專業 團隊 專業 團隊 專業 團隊 專業 團隊。

**Q : 4. 我們 公司 專業 團隊 專業 團隊?**

**A :** 我們 公司 專業。 我們 公司 **5000pcs** 我們 **3-7** 年, **100,000pcs** 我們 **7-15** 年

**Q : 5. 我們 公司 專業 團隊 專業 團隊?**

**A :** 我們, 我們, 我們 公司 專業 團隊 專業 團隊 專業 團隊。 **OEM** 我們 公司 專業 團隊。

**Q : 6. 我們 公司 專業 團隊?**

我們 **20** 年 專業 團隊 **RFID** 我們 **NFCTAGS/RFID KeyBod/RFID Wristband** 我們 公司 專業 團隊 專業 團隊。