

A
□
□

4. Zinic 門鎖, 門鎖, 門鎖, 門鎖, 門鎖, 門鎖, 門鎖

5. 門鎖, 門鎖, 門鎖, 門鎖, 門鎖, 門鎖 / 門鎖

門鎖

ACM-209f 門鎖, 門鎖, 門鎖, 門鎖, 門鎖, 門鎖, 門鎖.

門鎖, 門鎖, 門鎖, 門鎖, 門鎖, 門鎖, 門鎖, 門鎖, 門鎖, 門鎖.


ACM-209F

FingerKey Access Control



LED Indicators

LED status indicators



High Precision Fingerprint Sensor

High Precision total reflection optic scanner.
Fast and Accurate Fingerprint Algorithm.

Product Details



Full Metal


IP66 Waterproof



Function Description

Higher Security PIN

For higher security, we allow you to hide your correct PIN within other numbers up to max of 10 digits



Example PIN: 245689

You can input: **245689** or *245689**



Full Access Control Features

Access control interface for 3rd party electric lock, door sensor, exit button, alarm.

Abundant Communication Interface

Wiegand 26~44 output



Large Capacity Storage

1. Store 1000 fingerprint & 2000 PIN users
2. Fast identification verification



□□ □□□□ □□□

□□□ □□□□ □□□ □□ □□□□ □□□ □□ □□ □□ □□ □□□ □□□□.



ACM223

RFID 卡片 125Khz EM 125/4000 US 125Khz

ACM209-NW

RFID (125Khz) EM 卡片 125Khz EM 卡片

ACM208

RFID 卡片 125Khz EM 卡片



ACM210

RFID 125Khz EM, 125Khz EM, Wiegand 26bit

ACM225

RFID 125Khz EM, 125Khz EM, Wiegand 26bit

ACM211B

RFID 125Khz EM, 125Khz EM, Wiegand 26bit

