



A C : 2 2 V , 1 2 V 3 (H i g h M e d i u m . L o w) - 2 (6 5 - 4 (8 5

2 k H Z 1 7 k H z 3 5 x 7 4 x 8 5 m m (W X H X L)

```

00:
00 00 00 00
00 00 0000 00
0000 00 0000 0000
0000 0000 0000 0000 00 00000000
0000 00 0000 0000 0000 00000000
00 0000
00 00000 00 00 00
00 00 00 00 00

```

[illegible]





■ Install Detector

The loop detectors must only be placed in dry rooms or control cabinets that are protected against all types of moisture and wetness. A distance of at least 10 mm from other devices must be maintained on each side. The ambient temperature must not exceed 65° C. The installation of the induction loop is described in other operating instructions.

■ Operation and Indication

When the power is applied, the red Power LED will glow and the detector is tuning, the green Check LED blink about 3 seconds. The green LED will also glow whenever a vehicle is detected passing over the inductive loop. If a loop fault exists the green LED will come on and flash indicating a fault.

■ Wiring Diagram



□□□ □ □□□□

□□□ ACM812A□ □□□□ □□ UHF □□ □□□□□□ ACM802A, ACM818A, ACM801A□ □□□ □□ □□□□. □□□□ □□ □□□□ □□ □□□□□. □□ ACM801A□ □□□□ □□ □□ (□ □□ 200 □□ PC)□ □□ □ □□□□. □□□ □□□ □□ □□□ □□□□□□.





ACM812A

2-5m 2x 2x UHF 2x

Wiegand 26 2x, RS232/485

ACM818A

10-20m 2x2x UHF 2x

Wiegand 26 2x, RS232/485

ACM802A

8-10m 2x 2x UHF 2x

Wiegand 26 2x, RS232/485



10-15m UHF 00
Wiegand 26 00, RS232/485
ACM 8017
UHF 00 00 00
UHFWiFiGrps
ACM 918K
UHF 4-Antenna 00 0000 00 00

- 1, 00 000 000 000000 24 00
- 2, 00 0000 0 00 00, 00 0 000 0 000 000000.
- 3, OEM/ODM 00 00
- 4, 000, Fashin Desing, 000 0 00000 00, 00 00 00
- 5, 00 00 000 :
 - 1), 00 000 0000 00 000 0000 000 0000 0000.
 - 2), 00 000 00 00 0 00000
 - 3), 000 00 000 000 0000 2-3 0 00 000 00 000 0000 00 00
- 6, 0 00 00 : 00 000 00 0 1 ~ 5 0, 00 000 00 7 ~ 30 0
- 7, 00 : 000 00 00 000 00 0 0 0000. T/T, Western Union, PayPal

FAQ

Q : 1. □□□ □□□ □ □ □□□□?

A: ০০০০ ০০ ০০০ ০০ ০০০ ০০০ ০০০০০০. ০০ ০০ ০০০ ০০০০ ০০০ ০০০০ ০০০ ০০ ০০০০. ০০ ০০ ০০০ ০০০ ০০ ০০০ ০০০০০০.

Q : 2. □□ □ □□□ □□□□□?

A : T/T, PayPal, Western Union.

□□□ SEA, Air □□ Express (DHL, FedEx, TNT UPS □)□ □□□ □ □□□□.

Q : 3. □□□ □□□□ □□ □□□ □□□□ □□□□□□□□?

A: 000 0000 00 0000 00 0 0 000,00 000 00000000.

Q : 4. □□□ □□□ □□□□ □ □□□□?

A : 1000 個 10000. 10000 5000pcs 3-7 日, 100,000pcs 7-15 日

Q : 5. □□□ □□□ □□ □ □ □□□□?

A: 〇〇, 〇〇, 〇〇 〇 〇〇〇 〇〇〇〇 〇〇 〇〇 〇〇〇 〇〇〇〇〇〇. OEM 〇〇〇 〇〇 〇〇〇〇〇.

Q : 6. □□ □□ □ □□□□□?

RFID/NFC Tag/RFID KeyBod/RFID Wristband, RFID Tag 20 個 以下 提供 可能.