



12V Fail Secure & Fail Safe

ACM-Y138 Failed & Fail Unlocked. Lock / Lock



D
C
1
2
V
(
□
□
□
□
D
C
2
4
V
□
)□
4
□
m
□
A
□
□
□
□
(
Y
-
1
3
8
N
O
)
E
□
□
□
□
(
Y
-
1
3
8
N
C
)

[illegible]

Advanatge

ACM-Y138 門鎖 故障鎖 & 故障解鎖. 門鎖故障 Lock / Locking 故障. 門鎖 故障 門鎖 故障 故障. 門鎖 2 門鎖 故障 故障 : Power-to-open & 門鎖 - 門鎖 - 門鎖 故障, 門鎖 & anti-deformation.It 門鎖 故障, 門鎖, PVC 門鎖 故障 故障.

門鎖 故障, OEM / ODM 門鎖

[illegible]


01 Strong and Durable

Stainless steel panels,stable and durable.



02 Metal Shell

Designed for Metal Frame drill a hole,then install it directly.



03 Special Design

Adjust Lock-tongue to NO style



□ □□□□ □ □ □□□□ (NC / NO) □ □ □ □ □ □



04 Low Power Design

05 Rugged combination, Security Guarantee



1. Stainless steel faceplate, Anti-strike,
Stronger protection.



2. Stainless steel tongue.



3. The metal shell paint high hardness,
corrosion resistance&anti-deformation.



- 此款鎖具採用不銹鋼材質，ACM Goldbridge鎖具採用2mm厚不銹鋼板。
- 此款ACM Goldbridge鎖具採用不銹鋼舌。
- 此款鎖具採用高硬度、防腐蝕及抗變形塗料。

01

Embedded Installation Design


Safe design to prevent external malicious lock slot is forced open.



02

Holding Strength

pass 500kg super linear static



03

Suitable For

Narrow Wooden Door, Narrow Metal Door



You may need





NC / NO PVC

□□□□ □, □□ □, PVC □□ % s □□□□ □□ □□□
(NC / NO)

280kg (600lbs) 00 0000 00 00 : 00 0, 00
0, 00 0, 00 0.



常見問題

Q : 1. 請問 貴公司 有 代理商?

A : 貴公司 有 代理商 代理商 代理商。 貴公司 有 代理商 代理商 代理商 代理商 代理商 代理商 代理商 代理商。

Q : 2. 貴 公 司 有 代理商?

A : 貴 公 司 有 T / T, Paypal, Western Union.

貴 公 司 有 代理商 (DHL, FedEx, TNT UPS 等) 代理商 代理商。

貴 公 司 有 代理商 代理商 代理商 代理商?

A : 貴 公 司 有 代理商 代理商 代理商 代理商 代理商 代理商 代理商 代理商。

Q : 4. 貴 公 司 有 代理商 代理商?

A : 貴 公 司 有 代理商。 代理商 5000pcs 代理商 3-7 天, 100,000pcs 代理商 7-15 天

貴 公 司 有 代理商 代理商 代理商?

A : 貴 公 司 有 代理商 代理商 代理商 代理商 代理商 代理商 代理商 代理商。 OEM 代理商 代理商 代理商。

Q : 6. 貴 公 司 有 代理商 代理商 代理商?

貴 公 司 20 天 代理商 RFID 代理商 / NFC 代理商 / RFID keybod / RFID 代理商, rfid 代理商 代理商 代理商 代理商 代理商 代理商 代理商 代理商。