

# ABS RFID

RFID

RFID & NFC  
RFID (Radio Frequency Identification) is a technology that uses electromagnetic waves to identify and track objects. It consists of a reader and a tag. The reader sends a signal to the tag, which responds with information. RFID is used in many applications, such as inventory management, access control, and supply chain tracking.  
UHF (Ultra High Frequency) is a type of RFID technology that operates in the 430-930 MHz range. It has a long range and is used for applications like warehouse inventory management and supply chain tracking.  
NFC (Near Field Communication) is a type of RFID technology that operates in the 13.56 MHz range. It has a short range and is used for applications like contactless payments and access control.  
NFC is a subset of RFID. It is used for applications that require short-range communication, such as contactless payments and access control. NFC is also used for data exchange between devices, such as smartphones and laptops.

|                |                                                                                                                                                    |
|----------------|----------------------------------------------------------------------------------------------------------------------------------------------------|
| RFID           |                                                                                                                                                    |
| Frequency      | LF (125kHz) : TK4100, EM4100, EM4200, EM4305, T5577, 5200 e TC<br>HF (13.56MHz) : Fudan F08, NFC Chip<br>UHF (860-960MHz) : Alien H3, Impinj Monza |
| Protocol       | LF : ISO11784 /785 , HF : ISO14443A /15693 , UHF : ISO18000-6C                                                                                     |
| Size           | 85.5*56 *0.84 MM                                                                                                                                   |
| Capacity       | 64 Byte, 144Byte, 504Byte, 888Byte, 1K Byte, 128Byte, Etc                                                                                          |
| Material       | PVC, ABS, PET, etc                                                                                                                                 |
| Read Range     | ≥100000 cm                                                                                                                                         |
| Read Frequency | LF/HF : 1-5cm, UHF : 1-10m (depending on the tag)                                                                                                  |
| Read Data      | RFID Tag, NFC Tag, etc                                                                                                                             |
| RFID Tag       |                                                                                                                                                    |
| Material       | KSCREEN, PET, etc                                                                                                                                  |
| Read Range     | RFID Tag, NFC Tag, QR Code, etc                                                                                                                    |
| Read Data      | URL, etc                                                                                                                                           |
| RFID Tag       |                                                                                                                                                    |
| Size           | 39x27x7cm, 50x25x22cm                                                                                                                              |
| Capacity       | 200pcs/box, 5000 PCS/CTN                                                                                                                           |
| Weight         | 35 kg/ctn                                                                                                                                          |



Metal Card



Barcode Card



Vip Card



Hotel Key Card



Business Card



Magnetic Stripe Cards

Embossing No.



Epoxy Finish



Gold Stamping



Hologram



Laser



Metallic Finish



Punching Hole



QR Code



Signature Panel



Spraying code



UV coating



UV/Flat barcode
















## Packing & Delivery



### Packing

with or without polybag separate package

200pcs/ box, 180pcs/bag, 150pcs/bag

25boxes/carton, 16boxes/carton, 6boxes/carton or as required



**FedEx**



**DHL**

**aramex**  
delivery unlimited



*sure we can*

### Shipping

We have different shipping options available for your choice

International door to door Express

By Air(Faster and Cheaper for large order)

By Ship(Cheapest shipping way)

### Our Service

1 ° 24 小时 服务 客户 满意 为止。

2, 客户 满意 为 我们 的 宗旨, 我们 会 尽 最大 努力 满足 客户 需求。

3, **OEM / ODM** 服务

4, 我们 提供 各种 规格 的 产品, 客户 可以 选择。

5, 我们 提供 以下 服务:

1) 我们 提供 各种 规格 的 产品 样品。

2) 我们 提供 各种 规格 的 产品 包装。

3) 我们 提供 各种 规格 的 产品 运输 服务, 2-3 天 可以 到达。

6, 我们 提供 以下 服务: 我们 提供 各种 规格 的 产品 1 ~ 5 天, 我们 提供 各种 规格 的 产品 7 ~ 30 天。

7, 我们 提供 以下 服务: T / T, Western Union, PayPal, ALI Commercial 等等 我们 可以 提供 各种 服务。

8, 我们 提供 以下 服务: DHL, FedEx, TNT, UPS, EMS, SEA 等等 Air Forwarders 我们 可以 提供 各种 服务。

我们 提供 以下 服务:

**ACM Goldbridge** 我们 提供 各种 规格 的 产品 样品 和 包装 服务。 **ACM Goldbridge** 我们 提供 各种 规格 的 产品 2 天 可以 到达。

我们 提供 各种 规格 的 产品 样品 和 包装 服务。

我们 提供 各种 规格 的 产品 运输 服务。

**FAQ**

**Q : 1.** □□□ □□□ □ □ □□□?

A: 0000 00 000 00 000 000 000000. 00 00 000 000 0 000 00 Toyou 000 00 0000.

**Q : 2.** □□ □ □□□ □□□□□?

A : 00 00 0 T / T, PayPal, Western Union.

SEA, Air Express (DHL, FedEx, TNT UPS )

**Q : 3.** □□□ □□□□ □□ □□□ □□□ □□ □ □□□□?

A : WEC 0000 00 000 00 0 0 000 000 00 0 0000 00 0 0 0000.

**Q : 4.** □□□ □□ □□ □□□ □□□ □ □□□□?

A: 5000 3-7 100,000 7-15

**Q : 5.** □□□ □□□ □□ □ □ □□□?

A: 00, 00, 00 0 000 0000 00 00 000 000000. OEM 000 00 000000.

**Q : 6.**

RFID / NFCTAGS / RFID 20 00 0000 / RFID 000 00 0 0000 0 00000.