

DC 12V □□ □□ □□□□ □□□ □□ □□ □□ □□ □□ □□ □□ □□ □□

□ □□□ □□ □□□□ □□□, 100 % □□□ □□□ □□□□ □□□ □□ □□ □□ □□ □□□□□. □□□□ □□ □□ □ □□□ □□ □□□□ □ □□ □ □□□□ □□□□□.

□□, □□□, □ □□ □□ □□□ □□ □□ □□□□ □□□□ □□ □□ □□□□ □□ □□ □□□ □□□ □□□□ □ □ □□□□



Power off state

The length of the lock tongue in the state of power failure is 15mm




Electrified state

The length of the lock tongue in the state of electricity is 5mm







Length of wire:~37cm







instalation □□□□





File cabinets



Lockers



Drawers

□□ □□

- □□□□ □□ □□□ □□ □□□□ □□ □□□□□. ACM Goldbridge□ □□ □□□ □□ 2 □ □□□ □□□□□.
- □□□ ACM Goldbridge□ □□□□ □□ □□□ CAHRGE□□□.
- □□□ □□□ □□□ □□□□□□□.

□□ □ □□

□□ □□
□□□ DHL, □□□, TNT, UPS, EMS, □□□ □□□□ □□□ □□□□□□□.
□□ □□□ □□ □□□□ □□□ □□ □□□□.

□□
□□ □□ □□ : □□ □ 1unit, □□ □ 30pcs,
□□ □□ : 54.5 * 20 * 30.5.cm, □ □□ : 12kg. □□□ □ 50 □□ □□



You may need





ACM-Y130.

□□□□ □, □□ □□, PVC □□ □ □□ □□ □□□□ □ (NC / NO)

ACM-Y131.

□□□□ □, □□ □□, PVC □□ □ □□□□□ □□ □□ □□□□ (NC / NO)

ACM-Y132.

280kg (600lbs) □□ □□ □□ □□ □□ : □□□□□ □, □□ □□, □□ □□, □□ □□ □□.





ACM-Y280.

□□ □□ □□ (280kg / 600lbs)

ACM-Y100S.

□□ □□ □□ □□ □□

□□ □□ □ NO / NCPOWER - □□ □□

ACM-Y066.

□□□□ □□□□ □□ □□ (□□ □□ □□)

□□ □□ : 130x98x41mmworking.

□□□□ □□□□

- 1, □□ □□□□ 24 □□ □□□□ □□ □ □□□□.
- 2, □□ □□ □□ □ □□ □□, □□□□ □ □□□ □ □□□ □□□□ □□□□□□
- 3, OEM / ODM □□
- 4, □□□, fashin desing, □□□□ □ □□□□□ □□, □□ □□ □□
- 5, □□ □ □□□ :
- 1), □□ □□□□ □□□□ □□ □□□□ □□□□□□□□.
- 2) □□ □□□□ □□ □□ □ □□□□□.
- 3), □□□□ □□ □□□□ □□ □□□□□ □□□□ □□□□ 2-3 □ □□
- 6, □□ □□ : □□ □□□□ □□ □ 1 ~ 5 □, □□ □□□□ □□ 7 ~ 30 □
- 7, □□ : T / T, Western Union, Paypal□ □□ □□□ □□ □ □ □□□□.
- 8, □□ : □□□ DHL, □□□, TNT, UPS, EMS, □□□□ □□□□ □□□□ □□□□ □□ □□□□ □□□ □ □□□□.

