



DC 12V □□□□ T□ □□□□

Y-700A(□□□)□ □□ □□ □□ □□(Fail Safe) □□ □□□□. 304 □□□□□ □□□□□.

□□ □□□ □□□ 2000kg□ □□□. Door □□□ NC□□□.

□□ □□ □□□ □□□ □□ 60°C □□ □□ -40°C. □ □□

□□□□ □□□ □□□ □□, □□ □□ □□ □□□, □□□ □ □□ □□ □□, □□ □□ □

□□□□ □□□ □□□

□□

□□□:

-
-
-
-
-
-
-

F
a
i
l
S
a
f
e
(

2
5
L
X
S
U
V
X
S
U
S
E
P
(
m
m
)
D
C
I
N
V

A





00 00

* 00 00, 000 00 00

* 00, 00 0 000

* 000, 00 00

* 00 00 00, 300 00 00

* 000 000 0000 00, 000 00000 00 00

* Led 0000 0000 00 000 00 000 0000 0 000 000.

* 000000 00000 000 0000 00 0 00, 0000000 00000 000000.

* 00 00 00 000 000 0000 00

* 00 00, 00

A: 00 000 00 000000.


B: 00 0000 00 000 0000 00 0, 000 00 00 00, 000 00 000 000 000 0000 000 000000.

C: 00 00 000 000 000 000000.


000 000, 000 OEM/ODM

T TYPE BOLT LOCK


Fail-safe, Delay function




INSTALLATION STEPS




1. Door and door identification center point




2. Place the hole on the sticker




3. Use a hole opener to open the lock hole



4. Mount the mounting hole with the lock body and lock the screw



5. Aim the sensor plate at the lock body to make sure it can be locked



6. The sensor plate is fixed for testing

PRODUCT FEATURES



METAL LOCK BODY

Mini Size



ACM-Y100S 2

100mA / 900mA, 2PIN

ACM-Y100S 5

100mA / 900mA, 5PIN

ACM-Y500A

205x30x38mm



ACM-Y280

□□ □□ □□ □□ □□(280kg/600lbs)

ACM-Y131

□□□ □□ □, □□ □, PVC □□ □□ □□□□ □□ □□□
(NC/NO)

ACM-Y066

□□□ □□□ □□(□□ □□)
□□ □□: 130x98x41mm□□



1, □□ □□□□ 24□□ □□ □□ □□□□.

- 2, 100% 100% 100%, 100% 100% 100% 100%
- 3, OEM/ODM
- 4, fashin desing, 100% 100% 100%, 100%
- 5, 100% 100%:
- 1), 100% 100% 100% 100% 100% 100% 100% 100%.
- 2), 100% 100% 100% 100%.
- 3) 100% 100% 100% 100% 100% 100% 2-3% 100% 100%.
- 6, 100% 100% : 1~5%, 100% 100% 7~30% 100%
- 7, 100% 100% 100% 100% 100%: T/T, Western Union, Paypal.
- 8, 100% DHL, FEDEX, TNT, UPS, EMS, SEA 100% AIR 100% 100% 100% 100% 100% 100% 100% 100% 100% 100% 100%.

100% 100%

Q: 1. 100% 100% 100%?

A: 100% 100% 100% 100% 100%. 100% 100% 100% 100% 100% 100% 100% 100% 100% 100%.

Q: 2. 100% 100% 100% 100%?

A: 100% 100% T/T, 100%, 100% 100%.
100% 100%, 100% 100%(DHL, FedEx, TNT UPS)100% 100% 100%.

Q: 3. 100% 100% 100% 100% 100%?

A: 100% 100% 100% 100% 100%, 100% 100% 100% 100% 100%.

Q: 4. 100% 100% 100% 100%?

A: 100% 100% 100%. 100% 5000pcs 100% 3-7%, 100,000pcs 100% 7-15%

Q: 5. 100% 100% 100% 100%?

A : 100%, 100%, 100% 100% 100% 100% 100%. OEM 100% 100% 100%.

Q: 6. 100% 100% 100% 100%?

100% 20% 100% RFID 100%/NFC 100%/RFID 100%/RFID 100%, RFID 100% 100% 100% 100% 100% 100% 100%.