



Product Description



Packing & Delivery



Shipping Way

We have strong cooperation with DHL, FEDEX, TNT, UPS, EMS, Forwarder by SEA and By AIR You also can choose your own shipping forwarder.

Packaging

Magnetic Lock packaging: 1unit per box, 10pcs per carton,

Carton size : 26*26*10cm , Gross Weight :46kg. 50 cartons per pallet




- 我们提供多种包装规格，ACM Goldbridge 产品包装规格为 26*26*10cm。
- 我们提供 ACM Goldbridge 产品包装规格为 26*26*10cm。
- 我们提供多种包装规格，ACM Goldbridge 产品包装规格为 26*26*10cm。




STANDARD INSTALLATION STEPS


Professional guidance, Rest assured



1 Fold the plate to 90° .




2 Close the door first, then place the upper side of template on door frame, while adjust the left side next to the door leaf.




3 Mark screw positions of armature plate and magnetic lock on door leaf and door frame respectively.




4 Drill holes based on the marked positions.




5 Make a combination based on the picture.



6 Strike the pin into the armature plate slightly (to avoid movement).




7 Make a combination based on the picture (add washer accordingly). The rubber ring must be added.




8 Place the rubber ring between armature plate and door leaf.




9 Use Allen key to remove the mounting plate from lock body.



10 Fix the mounting plate on the door frame according to the holes drilled earlier.




11 Use Allen key to screw the lock body on the mounting plate.




12 Close the door to test holding force. The angle between armature plate and magnetic lock can be adjusted by adding or reducing washers.




13 After all the appropriate procedures, the holding force can be maximized. Finally, fix the tamper screw.



Hollow Metal Door
Drill a hole
Inside: Diameter is 8mm
Outside: Diameter is 16mm



Wooden Door
Drill a hole
Inside: Diameter is 8mm
Outside: Diameter is 12.7mm



Metal Surface Door
6.8mm for M8-1.25thread
Inside: Drill a hole diameter is 8mm folding the plastic straight pin

Notice:

Thickness of Door Leaf:

350LBS: 44mm

600LBS: 50mm

800LBS: 48mm

1200LBS: 46mm

包裝 說明

包裝 說明

提供 DHL, FEDEX, TNT, UPS, EMS, SEA 及 AIR 等 各種 運輸 方式 均可 裝 載。

包裝

包裝 尺寸 說明: 長度 1 米, 寬度 60 公分,

高度 35*30*20cm, 重量: 24kg. 每箱 50 個 裝 載。



You may need



ACM-Y280N

□□□ □□ □□ □□(280kg/600lbs) □□ □□: □
□ □, □□ □, □□ □, □□□ | □□□ □□

ACM-Y180

□□ □□ □□ □□(180kg/300lbs) 2□□ □□□
□□ □□ □□ □□.

ACM-Y280

280kg(600lb) □□ □□ □□ □□ □□ □□ □, □□□,

□□ □, □□□□ □□□□□.



ACM-Y280-L
280kg/350kg □□ □□ □□□ L □□□

ACM-Y180ZL
180kg/300lbs □□ □□ □□□ ZL □□□

ACM-Y280-ZL
280Kg/350Kg □□ □□ □□□ ZL □□□

- 1, 00 00000 2400 0000 0000.
- 2, 00 00 00 0 00 00, 00 0 000 0 00 0000 000000
- 3, OEM / ODM 00
- 4, 000, fashin 000, 000000 000 00 00, 00 00 00
- 5, 000 000:
 - 1), 00 000 0000 00 000 00000 00000.
 - 2), 00 000 00 00 0 00000.
 - 3) 000 000 00 0000 00 00 000 00 0000 2-30 000 00000.
- 6, 0 00 00 : 00000 0 1~50, 00000 0 7~300 00
- 7, 00: T / T, Western Union, Paypal0 00 00 000 000 0 0000.
- 8, 00: 000 DHL, FEDEX, TNT, UPS, EMS, SEA 00000 000 00 000 00 000 AIR0 00 000 00 00000 000 00 0000.

Q: 1. 如何 证明 它 正确?

A: 0000 000 00 000 000000. 00 00 000 0 00 000 00 000000. 000 0000 000 00 000 000000.

Q: 2. □□ □ □□□ □□□□□?

A: 00 00 0 T/T, 000, 000 000.

□□□ □□, □□ □□ □□(DHL, FedEx, TNT UPS □)□□ □□ □ □□□□.

Q: 3. 如何證明 $\lim_{n \rightarrow \infty} \frac{1}{n} = 0$?

A: □□□ □□□□ □□ □□□ □□□ □□□ □□ □□□ □□□ □ □□□□.

Q: 4. □□□ □□□ □□ □□ □ □□□?

A: 5000 3-7, 100,000 7-15

Q: 5. 如何 選擇 適合 的 材料?

A: 00, 00, 00 0 000 0000 00 00 000 00 00000. OEM 000 00000.

Q: 6. 如何 用 有限 个 0 和 1 表示 有限 个 0 和 1?

□□□ 20□ □□ □□□□ RFID □□/□□□ □□/□□□ □□□/□□□ □□, RFID □□ □ □□□ □□ □□□ □□ □□□□ □ □□□□□.