

## Product Description:

### Dual Frequency LF TK4100 Chip and HF 13.56mhz Mifare 1k Smart Card for Access Control rfid

#### :

1. PVC card with 80mm x 54mm x 0.86mm dimensions.
2. 80mm x 54mm x 0.86mm, standard card.
3. Card thickness: 4mm thick, 0.86mm thick.
- 4, 80mm x 54mm UID card with 80mm x 54mm.
- 5, 80mm x 54mm card
6. 80mm x 54mm card, 80mm x 54mm
7. 20mm x 54mm card with 80mm x 54mm
8. delivery 80mm x 54mm. 80mm x 54mm

#### RFID card!

#### :

- LF / HF / UHF RFID card
- 80mm x 54mm x 0.86mm, 80mm x 54mm standard card.
- Card thickness: 4mm thick, 0.86mm thick, 1.00mm thick, 0.9-1.0mm thick.
- CPU chip: ISO / IEC 14443, ISO / IEC7816, ISO / IEC 14443, ISO / IEC 14443, CPU chip with 80mm x 54mm.
- Card thickness, CPU chip COS chip, 80mm x 54mm, 80mm x 54mm, 80mm x 54mm.

#### :

#### 20mm x 54mm x 0.86mm RFID card

Chip	ACM 125 KHz TK4100 RFID card with PVC ID card
Size	85.5 * 54 * 0.86mm standard card
Thickness	0.8mm thick card, 0.86mm thick card, card thickness (1.00mm thick 0.9-1.0mm)
Material	Standard card material
Frequency	LF / HF / UHF 125KHz, 13.56MHz, 860-915MHz, EM + UHF, MF + UHF
Chipset	TK4100, EM4200, MF. card H3
Card type	Standard, 80mm x 54mm card





RFID Card	Available Chip
125KHZ Card	EM4200, EM4305, T5577, TK4100, HYS256
13.56MHZ Card	MF1 S50, MF1 S70, F08, T12048, ICODE SLI-S, ULTRALIGHT, ULTRALIGHT C
UHF Card	Allen H3
Dual Frequency Card	125KHZ+13.56MHZ 125KHZ+UHF 13.56MHZ+UHF

Embossing No.



Epoxy Finish



Gold Stamping



Laser



Hologram



Brush



Punching Hole



QR Code



Signature Panel



Spraying code



UV coating



UV/Flat barcode





Embossed numbering



QR code



Inkjet numbering



Embossed numbering (Golden)



Embossed numbering (Silver)



Flat numbering(Black)



Engrave numbering(Golden)



Flat numbering(Siver)



Flat numbering (golden)



# Product Process



Binding



Coiling winding



Embedding



Offset printing



Digital printing



Lamination



Quality Checking



Packing



Warehouse

## RFID Application



Concert Wristband



Hotel Card Application



Access Control System



Business Card



Warehouse Management



Magnetic Stripe Card

### RFID 特点 :

RFID (Radio Frequency Identification) 具有 非接触、 快速、 信息量大、 可重复使用、 体积小、 重量轻、 寿命长、 抗干扰能力强、 可读写、 可加密、 可防伪、 可追踪、 可定位、 可识别、 可管理、 可控制、 可监测、 可报警、 可记录、 可分析、 可优化、 可提高效率、 降低成本、 减少错误、 增加安全性、 提高透明度、 增强竞争力、 实现智能化、 自动化、 无人化、 远程化、 全球化、 网络化、 移动化、 个性化、 定制化、 柔性化、 敏捷化、 精益化、 绿色化、 可持续发展、 提升用户体验、 增强客户粘性、 提高品牌忠诚度、 实现数字化转型、 提升运营效率、 降低运营成本、 提高客户满意度、 增强企业竞争力、 实现高质量发展、 推动产业升级、 促进经济增长、 实现共同富裕、 构建和谐社会、 实现中华民族伟大复兴的中国梦。



# Packing & Delivery



## Packing

with or without polybag separate package

200pcs/ box, 180pcs/bag, 150pcs/bag

25boxes/carton, 16boxes/carton, 6boxes/carton or as required



## Shipping

We have different shipping options available for your choice

International door to door Express

By Air(Faster and Cheaper for large order)

By Ship(Cheapest shipping way)

## Our Service

- 1, 24 hours service
- 2, our factory direct price

### 3, OEM / ODM

4, fashion desing, OEM / ODM

### 5, Quality Control :

- 1) Pre-production
- 2) In-production
- 3) After-production

6, Delivery time : 1 ~ 5 days, 7 ~ 30 days

7, Payment : T / T, Western Union, Money Order

8, Shipping : DHL, FEDEX, TNT, UPS, EMS, SEA or AIR



Q :

ACM Goldbridge 2 .  
ACM Goldbridge .  
.

Q : 1. ?

A : . . . . .

Q : 2. ?

A : T / T, , .

(DHL, FedEx, TNT UPS ) .

Q : 3. ?

A : . . . . .

Q : 4. ?

A : . . 5000pcs 3-7 , 100,000pcs 7-15

Q : 5. ?

A : , , . OEM .

Q : 6. companvor ?

RFID / NFCtags / RFID keybod / RFID .